

O NUTRICIONISTA CLANDESTINO

DANILO BALU

BIBLIOGRAFIA

INTRODUÇÃO

1 OGDEN, C. L. et al. Prevalence of Overweight, Obesity, and Extreme Obesity Among Adults: United States, Trends 1960–1962 Through 2007–2008. *CDC Centers for Disease Control and Prevention*, jun. 2010. Disponível em: <<https://s3.amazonaws.com/s3.documentcloud.org/documents/459554/long-term-trends-in-diagnosed-diabetes-october.pdf>>. Acesso em: 26 jan. 2015.

2 CDC Centers for Disease Control and Prevention, out. 2011. *Long-Term Trends in Diagnosed Diabetes*. Disponível em: <http://www.cdc.gov/nchs/data/hestat/obesity_adult_07_08/obesity_adult_07_08.htm>. Acesso em: 26 jan. 2015.

Capítulo 1

1 SHAI, I. et al. Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *N Engl J Med.*, v. 359(3), p. 229-41, 2008.

2 FREDERICK, F. et al. A Low-Carbohydrate as Compared with a Low-Fat Diet in Severe Obesity. *N Engl J Med.*, v. 348, p. 2074-2081, 2003.

3 FLEGAL, K. M. et al. Prevalence of obesity and trends in the distribution of body mass index among US adults, 1999–2010. *JAMA*, v. 307(5), p. 491–97, 2012.

4 OGDEN, C.L. et al. Prevalence of overweight, obesity, and extreme obesity among adults: United States, trends 1960–1962 through 2007–2008. *NCHS Health E-Stat. Hyattsville, MD: National Center for Health Statistics*, jun. 2010. Disponível em: <http://www.cdc.gov/nchs/data/hestat/obesity_adult_07_08/obesity_adult_07_08.pdf>. Acesso em: 26 jan. 2015.

5 Institute for Health Metrics and Evaluation. Physical activity is up in the US but so too is obesity. *BMJ*, v. 347, f4504, 2013.

6 OGELHOLM, M. et al. Does physical activity prevent weight gain--a systematic review. *Obes Rev.*, v. 1(2), p. 95-111, 2000.

7 Swedish Council on Health Technology Assessment, set. 2013. *Dietary treatment of obesity A Systematic Review*. Disponível em: <<http://www.sbu.se/en/Published/Yellow/Dietary-treatment-of-obesity/>>. Acesso em: 26 jan. 2015.

Capítulo 2

1 BDA The Association of UK Dietitians, fev. 2013. *Food Fact Sheet*. Disponível em: <<https://www.bda.uk.com/foodfacts/Want2LoseWeight>>. Acesso em: 26 jan. 2015.

2 HARCOMBE, Z. The Calorie Theory – prove it or lose it. *Zoë Harcombe*, jun. 2014. Disponível em: <<http://www.zoeharcombe.com/2014/06/the-calorie-theory-prove-it-or-lose-it/>>. Acesso em: 26 jan. 2015.

Capítulo 3

1 World Health Organization, jan 2015. *Obesity and overweight*. Disponível em: <<http://www.who.int/mediacentre/factsheets/fs311/en/>>. Acesso em: 26 jan. 2015.

Capítulo 4

- 1 SILVER, N. *O sinal e o ruído – por que tantas previsões falham e outras não*. Intrínseca, 2012.
- 2 BANTING, W. *Letter On Corpulence, Addressed to the Public*. 3rd ed. Harrison 59, PallMall, 1864.
- 3 EBBELING, C. B. et al. Effects of dietary composition on energy expenditure during weight-loss maintenance. *JAMA*, v. 307(24), p. 2627-34, 2012.
- 4 PAWLAK, D. B. et al. Effects of dietary glycaemic index on adiposity, glucose homeostasis, and plasma lipids in animals. *Lancet*, v. 364(9436), p. 778-85, 2004.
- 5 ASTRAND, O., et al. Weight gain by hyperalimantation elevates C-reactive protein levels but does not affect circulating levels of adiponectin or resistin in healthy subjects. *Eur J Endocrinol.*, v. 163(6), p. 879-85, 2010.
- 6 HORTON, T. J. et al. Fat and carbohydrate overfeeding in humans: different effects on energy storage. *Am J Clin Nutr.*, v. 62(1), p. 19-29, 1995.
- 7 McDEVITT, R. M. et al. Macronutrient disposal during controlled overfeeding with glucose, fructose, sucrose, or fat in lean and obese women. *Am J Clin Nutr.*, v. 72, p. 369-377, 2000.
- 8 DIAZ, E. O. et al. Metabolic response to experimental overfeeding in lean and overweight healthy volunteers. *Am J Clin Nutr.*, v. 56, p. 641-655, 1992.
- 9 ROUST, L. R. et al. Effects of isoenergetic, low-fat diets on energy metabolism in lean and obese women. *Am J Clin Nutr.*, v. 60, p. 470-475, 1994.

Capítulo 5

- 1 MOZAFFARIAN, D. et al. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med.*, v. 364(25), p. 2392-404, 2011.
- 2 HARGROVE, J. L. Does the history of food energy units suggest a solution to "Calorie confusion"? *Nutr J.*, v. 6, p. 44, 2007.
- 3 MANNINEN, A. H. Is a calorie really a calorie? Metabolic advantage of low-carbohydrate diets. *J Int Soc Sports Nutr.*, v. 1(2), p. 21-6, 2004.
- 4 BREHM, B. J. et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab.*, v. 88(4), p. 1617-23, 2003.
- 5 YANCY, W. S. Jr. et al. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Ann Intern Med.*, v. 140(10), p. 769-77, 2004.
- 6 WESTMAN, E. C. et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond)*, v. 5, p. 36, 2008.
- 7 FEINMAN, R. et al. "A calorie is a calorie" violates the second law of thermodynamics. *Nutr J.*, v. 3, p. 9, 2004.
- 8 KEKWICK, A. et al. Calorie intake in relation to body-weight changes in the obese. *Lancet*, v. 271, p. 155-61, 1956.
- 9 NOVOTNY, J.A. et al. Discrepancy between the Atwater factor predicted and empirically measured energy values of almonds in human diets. *Am J Clin Nutr.*, v. 96(2), p. 296-301, 2012.

10 MATTES, R. D. et al. Impact of Peanuts and Tree Nuts on Body Weight and Healthy Weight Loss in Adults. *J. Nutr.*, v. 138, p. 1741S-1745S, 2008.

11 JOHNSTON, C. S. et al. Postprandial thermogenesis is increased 100% on a high-protein, low-fat diet versus a high-carbohydrate, low-fat diet in healthy, young women. *J Am Coll Nutr.*, v. 21(1), p. 55-61, 2012.

12 ACHESON, K. J. et al. Protein choices targeting thermogenesis and metabolism. *Am J Clin Nutr.*, v. 93(3), p. 525-34, 2011.

13 VELDHORST, M. A. et al. Presence or absence of carbohydrates and the proportion of fat in a high-protein diet affect appetite suppression but not energy expenditure in normal-weight human subjects fed in energy balance. *Br J Nutr.*, v. 104(9), p. 1395-405, 2010.

14 BATTERHAM, R. L. et al. Critical role for peptide YY in protein-mediated satiation and body-weight regulation. *Cell Metabolism*, v. 4(3), p. 223-233, 2006.

15 BATTERHAM, R. L. et al. Gut hormone PYY(3-36) physiologically inhibits food intake. *Nature*, v. 418(6898), p. 650-4, 2002.

16 CHUNGCHUNLAM, S. M. S. et al. Dietary whey protein influences plasma satiety-related hormones and plasma amino acids in normal-weight adult women. *European Journal of Clinical Nutrition*, v. 69, p. 179–186; 2015.

17 LENNERZ, B. S. et al. Effects of dietary glycemic index on brain regions related to reward and craving in men. *Am J Clin Nutr.*, v. 98(3), p. 641–647, 2013.

Capítulo 6

1 LUDWIG, D. S. et al. Increasing Adiposity: Consequence or Cause of Overeating? *JAMA*, v. 311(21), p. 2167-2168, 2014.

Capítulo 7

1 CHURCH, T. S. et al. Effects of Different Doses of Physical Activity on Cardiorespiratory Fitness Among Sedentary, Overweight or Obese Postmenopausal Women With Elevated Blood Pressure - A Randomized Controlled Trial. *JAMA*, v. 297(19), p. 2081-2091, 2007.

2 SONNEVILLE, K. R. et al. Total energy intake, adolescent discretionary behaviors and the energy gap. *Int J Obes (Lond)*, v. 32 p. 19-27, 2008.

3 METCALF, B. S. et al. Fatness leads to inactivity, but inactivity does not lead to fatness: a longitudinal study in children (EarlyBird 45). *Arch Dis Child*, v. 96, p. 942-947, 2011.

Capítulo 8

1 ERVIN, R. B. Prevalence of Metabolic Syndrome Among Adults 20 Years of Age and Over, by Sex, Age, Race and Ethnicity, and Body Mass Index: United States, 2003–2006. *National Health Statistics Reports*, mai. 2009. Disponível em: <<http://www.cdc.gov/nchs/data/nhsr/nhsr013.pdf>>. Acesso em: 28 jan. 2015.

2 National Heart, Lung, and Blood Institute, nov. 2011. *What Is Metabolic Syndrome?* Disponível em: <<http://www.nhlbi.nih.gov/health/health-topics/topics/ms/>>. Acesso em: 28 jan. 2015.

3 NESS-ABRAMOF, R. et al. Waist Circumference Measurement in Clinical Practice. *Nutr Clin Pract.*, v. 23, p. 397-404, 2008.

Capítulo 9

1 DAVIS, W. *Barriga de Trigo*. WMF Martins Fontes, 2013.

Capítulo 10

- 1 ZHANG, Y. H. et al. Very High Fructose Intake Increases Serum LDL-Cholesterol and Total Cholesterol: a Meta-Analysis of Controlled Feeding Trials. *J. Nutr.*, v. 143, p. 1391-1398, 2013.
- 2 VASSELLI, J. R. Fructose-induced leptin resistance: discovery of an unsuspected form of the phenomenon and its significance. Focus on “Fructose-induced leptin resistance exacerbates weight gain in response to subsequent high-fat feeding,” by Shapiro et al. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, v. 295(5), p. 1365-1369, 2008.
- 3 ABDELMALEK, M. F. et al. Higher dietary fructose is associated with impaired hepatic adenosine triphosphate homeostasis in obese individuals with type 2 diabetes. *Hepatology*, v. 56 (3), p. 952–960, 2012.
- 4 STANHOPE, K. L. et al. Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. *J Clin Invest.*, v. 119(5), p. 1322–1334, 2009.
- 5 PAGE, K.A. et al. Effects of fructose vs glucose on regional cerebral blood flow in brain regions involved with appetite and reward pathways. *JAMA*, v. 309(1), p. 63-70, 2013.
- 6 TEFF, K. L. et al. Dietary Fructose Reduces Circulating Insulin and Leptin, Attenuates Postprandial Suppression of Ghrelin, and Increases Triglycerides in Women. *The Journal of Clinical Endocrinology & Metabolism*, v. 89(6), p. 2963-2972, 2004.
- 7 ELLIOTT, S. S. et al. Fructose, weight gain, and the insulin resistance syndrome. *Am J Clin Nutr.*, v. 76(5), p. 911-922, 2002.
- 8 BRAY, G. A. How bad is fructose? *Am J Clin Nutr.*, v. 86(4), p.895-896, 2007.
- 9 FAEH, D. et al. Effect of Fructose Overfeeding and Fish Oil Administration on Hepatic De Novo Lipogenesis and Insulin Sensitivity in Healthy Men. *Diabetes*, v. 54(7), p. 1907-1913, 2005.
- 10 OUYANG, X. et al. Fructose consumption as a risk factor for non-alcoholic fatty liver disease. *Journal of Hepatology*, v. 48(6), p. 993–999, 2008.
- 11 ACKERMAN, Z. et al. Fructose-Induced Fatty Liver Disease - Hepatic Effects of Blood Pressure and Plasma Triglyceride Reduction. *Hypertension*, v.45, p. 1012-1018, 2005.
- 12 BASCIANO, H. et al. Fructose, insulin resistance, and metabolic dyslipidemia. *Nutr Metab (Lond)*, v. 2(5), p. 1743-7075, 2005.
- 13 LUDWIG, D. S. Examining the Health Effects of Fructose. *JAMA*, v. 310(1), p. 33-34, 2013.
- 14 MURAKI, I. et al. Fruit consumption and risk of type 2 diabetes: results from three prospective longitudinal cohort studies. *BMJ*, v. 347, 2013.
- 15 CROWE, K. M. et al. Deconstructing a fruit serving: comparing the antioxidant density of select whole fruit and 100% fruit juices. *J Acad Nutr Diet.*, v. 113(10), p. 1354-8, 2013.
- 16 WOJCICKI J. M. et al. Reducing childhood obesity by eliminating 100% fruit juice. *Am J Public Health*, v. 102(9), p. 1630-3, 2012.
- 17 MONSIVAIS, P. et al. Potential nutritional and economic effects of replacing juice with fruit in the diets of children in the United States. *Arch Pediatr Adolesc Med.*, v. 166(5), p. 459-64, 2012.
- 18 CDC Centers for Disease Control and Prevention, dez. 2014. *Childhood Obesity Facts*. Disponível em: <<http://www.cdc.gov/healthyyouth/obesity/facts.htm>>. Acesso em: 28 jan. 2015.
- 19 Public Health England. *Child Obesity*. Disponível em: <http://www.noo.org.uk/NOO_about_obesity/child_obesity>. Acesso em: 02 fev. 2015.
- 20 COADE, J. Fructose sugar makes maturing human fat cells fatter and less insulin-sensitive. *Food Engineering & Ingredients*, v. 35(3), p. 26, 2010.

- 21 CARWILE, J.L. Et al. Sugar-sweetened beverage consumption and age at menarche in a prospective study of US girls. *Hum Reprod.*, 2015.
- 22 DOUGAN, M. M. et al. A prospective study of body size throughout the life-course and the incidence of endometrial cancer among pre- and post-menopausal women. *Int J Cancer.*, 2015.
- 23 PAN, A. et al. Effects of carbohydrates on satiety: differences between liquid and solid food. *Curr Opin Clin Nutr Metab Care.*, v. 14(4), p. 385-90, 2011.
- 24 TAPPY, L. et al. Metabolic Effects of Fructose and the Worldwide Increase in Obesity. *Physiol Rev.*, v. 90, p. 23–46, 2010.

Capítulo 11

- 1 SBEM - Sociedade Brasileira de Endocrinologia e Metabologia. *10 Coisas que Você Precisa Saber Sobre Obesidade*. Disponível em: <<http://www.endocrino.org.br/10-coisas-que-voce-precisa-saber-sobre-obesidade/>>. Acesso em: 28 jan. 2015.
- 2 SBEM - Sociedade Brasileira de Endocrinologia e Metabologia. *10 Coisas que Você Precisa Saber Sobre Diabetes Tipo 2*. Disponível em: <<http://www.endocrino.org.br/10-coisas-que-voce-precisa-saber-sobre-diabetes-tipo-2/>>. Acesso em: 28 jan. 2015.
- 3 Diabetes Brasil. *Carboidratos*. Disponível em: <<http://www.diabetesbrasil.org/?pg=carboidratos>>. Acesso em: 28 jan. 2015.
- 4 Diabetes Brasil. *Alimentação*. Disponível em: <<http://www.diabetesbrasil.org/?pg=aliment>>. Acesso em: 28 jan. 2015.
- 5 SBD Sociedade Brasileira de Diabetes, set. 2014. *Descobri que tenho diabetes... Como deverá ficar minha alimentação?* Disponível em: <<http://www.diabetes.org.br/cuidados-nutricionais/descobri-que-tenho-diabetes-como-devera-ficar-minha-alimentacao>>. Acesso em: 28 jan. 2015.
- 6 ANAD - Associação Nacional de Assistência ao Diabético. *Diabetes*. Disponível em: <http://www.anad.org.br/institucional/Tipos_de_diabetes.asp>. Acesso em: 28 jan. 2015.
- 7 The Action to Control Cardiovascular Risk in Diabetes Study Group. Effects of Intensive Glucose Lowering in Type 2 Diabetes. *N Engl J Med*, v. 358, p. 2545-2559, 2008.
- 8 GULDBRAND, H. et al. In type 2 diabetes, randomisation to advice to follow a low-carbohydrate diet transiently improves glycaemic control compared with advice to follow a low-fat diet producing a similar weight loss. *Diabetologia*, v. 55(8), p. 2118–2127, 2012.
- 9 DASHTI, H. M. et al. Beneficial effects of ketogenic diet in obese diabetic subjects. *Mol Cell Biochem.*, v. 302(1-2), p. 249-56, 2007.
- 10 HAIMOTO, H. et al. Effects of a low-carbohydrate diet on glycemic control in outpatients with severe type 2 diabetes. *Nutr Metab (Lond)*. v. 6, p. 21, 2009.
- 11 SAMAHA, F. F. et al. A Low-Carbohydrate as Compared with a Low-Fat Diet in Severe Obesity. *N Engl J Med.*, v. 348, p. 2074-2081, 2003.
- 12 DALY, M. E. et al. Short-term effects of severe dietary carbohydrate-restriction advice in Type 2 diabetes—a randomized controlled trial. *Diabetic Medicine*, v. 23(1), p. 15–20, 2006.
- 13 DAVIS, N. J. et al. Comparative Study of the Effects of a 1-Year Dietary Intervention of a Low-Carbohydrate Diet Versus a Low-Fat Diet on Weight and Glycemic Control in Type 2 Diabetes. *Diabetes Care*, v. 32(7), p. 1147–1152, 2009.
- 14 BUSETTO, L. et al. High-protein low-carbohydrate diets: what is the rationale? *Diabetes Metab Res Rev.*, v. 27(3), p. 230-2, 2011.

- 15 MIYASHITA, Y. et al. Beneficial effect of low carbohydrate in low calorie diets on visceral fat reduction in type 2 diabetic patients with obesity. *Diabetes Res Clin Pract.*, v. 65(3), p. 235-41, 2004.
- 16 FOSTER, G. D. et al. Weight and Metabolic Outcomes After 2 Years on a Low-Carbohydrate Versus Low-Fat Diet - A Randomized Trial. *Ann Intern Med.*, v. 153(3), p. 147–157, 2010.
- 17 NIELSEN, J. V. et al. Low-carbohydrate diet in type 2 diabetes: stable improvement of bodyweight and glycemic control during 44 months follow-up. *Nutr Metab (Lond)*, v. 5, p. 14, 2008.
- 18 BEN-AVRAHAM, S et al. Dietary strategies for patients with type 2 diabetes in the era of multi-approaches; review and results from the Dietary Intervention Randomized Controlled Trial (DIRECT). *Diabetes Res Clin Pract.*, v. 86(1), p. S41-8, 2009.
- 19 YANCY W. S. Jr. et al. A randomized trial of a low-carbohydrate diet vs orlistat plus a low-fat diet for weight loss. *Arch Intern Med.*, v. 170(2), p. 136-45, 2010.
- 20 BODEN, G. et al. Effect of a low-carbohydrate diet on appetite, blood glucose levels, and insulin resistance in obese patients with type 2 diabetes. *Ann Intern Med.*, v. 142(6), p. 403-11, 2005.
- 21 SESHADRI, P. et al. A randomized study comparing the effects of a low-carbohydrate diet and a conventional diet on lipoprotein subfractions and C-reactive protein levels in patients with severe obesity. *Am J Med.*, v. 117(6), p. 398-405, 2004.
- 22 GANNON, M. C. et al. Effect of a High-Protein, Low-Carbohydrate Diet on Blood Glucose Control in People With Type 2 Diabetes. *Diabetes*, v. 53(9), p. 2375-2382, 2004.
- 23 SHAI, I. et al. Weight Loss with a Low-Carbohydrate, Mediterranean, or Low-Fat Diet. *N Engl J Med.*, v. 359, p. 229-241, 2008.
- 24 ARORA, S. K. et al. The case for low carbohydrate diets in diabetes management. *Nutr Metab (Lond)*, v. 2, p. 16, 2005.
- 25 HITE A. H. et al. Low-carbohydrate diet review: shifting the paradigm. *Nutr Clin Pract.*, v. 26(3), p. 300-8, 2011.
- 26 FEINMAN, R. D. et al. Dietary carbohydrate restriction as the first approach in diabetes management: Critical review and evidence base. *Nutrition*, v. 31(1), p. 1–13, 2015.

Capítulo 12

- 1 STANHOPE, K. L. et al. Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. *J Clin Invest.*, v. 119(5), p. 1322–1334, 2009.
- 2 STANHOPE, K. L. et al. Adverse metabolic effects of dietary fructose: results from the recent epidemiological, clinical, and mechanistic studies. *Curr Opin Lipidol.*, v. 24(3), p. 198-206, 2013.
- 3 LUDWIG, D. S. et al. Relation between consumption of sugar-sweetened drinks and childhood obesity: a prospective, observational analysis. *The Lancet*, v. 357(9255), p. 505–508, 2001.
- 4 MATTHIAS, B. et al. Sugar-Sweetened Beverages, Weight Gain, and Incidence of Type 2 Diabetes in Young and Middle-Aged Women. *JAMA*, v. 292(8), p. 927-934, 2004.
- 5 BOSTICK, R. M. et al. Sugar, meat, and fat intake, and non-dietary risk factors for colon cancer incidence in Iowa women (United States). *Cancer Causes & Control*, v. 5(1), p 38-52, 1994.
- 6 FUNG, T T. et al. Sweetened beverage consumption and risk of coronary heart disease in women. *Am J Clin Nutr.*, v. 89(4), p. 1037-1042, 2009.

7 KONING, L. et al. Sweetened Beverage Consumption, Incident Coronary Heart Disease, and Biomarkers of Risk in Men. *Epidemiology and Prevention*, v. 125, p. 1735-1741, 2012.

8 SEN, S. et al. Glucose Regulation of Load-Induced mTOR Signaling and ER Stress in Mammalian Heart. *J Am Heart Assoc.*, v. 2, 2013.

Capítulo 13

1 LENERZ, B. S. et al. Effects of dietary glycemic index on brain regions related to reward and craving in men. *Am J Clin Nutr.*, v. 98, p. 641–7, 2013.

2 LUSTIG, R. H. et al. Public health: The toxic truth about sugar. *Nature*, v. 482, p. 27–29, 2012.

Capítulo 14

1 ACCURSO, A. et al. Dietary carbohydrate restriction in type 2 diabetes mellitus and metabolic syndrome: time for a critical appraisal. *Nutr Metab (Lond)*, v. 5, p. 9, 2008.

2 WESTMAN E. C. et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond)*, v. 5, p. 36, 2008.

3 BASU, S. et al. The Relationship of Sugar to Population-Level Diabetes Prevalence: An Econometric Analysis of Repeated Cross-Sectional Data. *PLoS ONE*, v. 8 (2), 2013.

Capítulo 15

1 VELDHORST, M. A. B. et al. Gluconeogenesis and energy expenditure after a high-protein, carbohydrate-free diet. *Am J Clin Nutr.*, v. 90, p. 519–26, 2009.

2 CAHILL, G.F. Starvation in man. *N Engl J Med.*, v. 282, p. 668–75, 1970.

Capítulo 17

1 HARPER, A. E. *Defining the essentiality of nutrients. Modern nutrition in health and disease.* 9a ed. Boston: William e Wilkins, p. 3–10, 1999.

2 BIER, D. M. et al. Report of the IDECG Working Group on lower and upper limits of carbohydrate and fat intake. *Eur J Clin Nutr.*, v. 53, p. S177–8, 1999.

3 CAHILL, G.F. et al. Starvation in man. *N Engl J Med.*, v. 282, p. 668–75, 1970.

4 FOLLIS, R. H. et al. The effect of a purified diet deficient in carbohydrate on the rat. *Bull Johns Hopkins Hosp.*, V. 72, P. 39–41, 1943.

5 RENNER, R. Factors affecting the utilization of “carbohydrate-free” diets by the chick. I. Level of protein. *J Nutr.*, v. 84, p. 322–6, 1964.

6 SHAFFER, P. A. Antiketogenesis. II. The ketogenic antiketogenic balance in man. *J Biol Chem.*, v. 47, p. 463–73, 1921.

Capítulo 18

1 JOHNSON R. K. et al. Dietary sugars intake and cardiovascular health: a scientific statement from the American Heart Association. *Circulation*, v. 120(11), p. 1011-20, 2009.

2 USDA - United States Department of Agriculture. *School Meals - Child Nutrition Programs.* Disponível em: <<http://www.fns.usda.gov/school-meals/child-nutrition-programs>>. Acesso em: 29 jan. 2015.

3 SOUTO, J. C. Dieta Low-Carb e Paleolítica, dez. 2011. *Evolução e seleção natural - implicações dietéticas.* Disponível em: <<http://www.lowcarb-paleo.com.br/2011/12/evolucao-e-selecao-natural-implicacoes.html>>. Acesso em: 29 jan. 2015.

4 NG, S. W. et al. Use of caloric and noncaloric sweeteners in US consumer packaged foods, 2005-2009. *J Acad Nutr Diet.*, v 112(11), p. 1828-34, 2012.

5 JOHNSON, R. J., et al. Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease. *Am J Clin Nutr.*, v. 86(4), p. 899-906, 2007.

6 STANHOPE, K. L. et al. Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. *J Clin Invest.*, v. 119(5), p. 1322-1334, 2009.

7 STANHOPE, K. L. et al. Adverse metabolic effects of dietary fructose: results from the recent epidemiological, clinical, and mechanistic studies. *Curr Opin Lipidol.*, v. 24(3), p. 198-206, 2013.

Capítulo 19

1 ASTRAND, O. et al. Weight gain by hyperalimantation elevates C-reactive protein levels but does not affect circulating levels of adiponectin or resistin in healthy subjects. *Eur J Endocrinol.*, v. 163(6), p. 879-85, 2010.

2 National Center for Health Statistics (US). *United States Health 2013 - With Special Feature on Prescription Drugs. Report No.: 2014-1232*, 2014.

3 HOWARD, B. V. et al. Low-fat dietary pattern and weight change over 7 years: the Women's Health Initiative Dietary Modification Trial. *JAMA*, v. 295(1), p. 39-49, 2006.

4 HOWARD, B. V. et al. Low-Fat Dietary Pattern and Risk of Cardiovascular Disease: The Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA*, v. 295(6), p. 655-666, 2006.

5 Multiple Risk Factor Intervention Trial - Risk Factor Changes and Mortality Results. *JAMA*, v. 248(12), p. 1465-1477, 1982.

Capítulo 20

1 TEICHOLZ, N. *The Big Fat Surprise: Why Butter, Meat and Cheese Belong in a Healthy Diet*, 2014.

Capítulo 21

1 TAUBES, G. *Good Calories, Bad Calories: Fats, Carbs, and the Controversial Science of Diet and Health*, 2008.

Capítulo 22

1 SIMOPOULOS, A. P. Evolutionary aspects of diet, the omega-6/omega-3 ratio and genetic variation: nutritional implications for chronic diseases. *Biomedicine & Pharmacotherapy*, v. 60(9), p. 502-507, 2006.

2 HIBBELN, J. R. et al. Healthy intakes of n-3 and n-6 fatty acids: estimations considering worldwide diversity¹⁻⁵. *Am J Clin Nutr.*, v. 83(6), p. S1483-1493S, 2006.

3 O'KEEFE, S. et al. Leses of trans geometrical isomers of essential fatty acids in some unhydrogenated U. S. vegetable oils. *Journal of Food Lipids*, v. 1(3), p. 165-176, 1994.

4 ASCHERIO, A. et al. Health effects of trans fatty acids. *Am J Clin Nutr.*, v. 66(4), p. 1006S-1010S, 1997.

5 MENSINK, R. P. et al. Effect of Dietary trans Fatty Acids on High-Density and Low-Density Lipoprotein Cholesterol Levels in Healthy Subjects. *N Engl J Med.*, v. 323, p. 439-445, 1990.

6 LOPEZ-GARCIA, E. et al. Consumption of Trans Fatty Acids Is Related to Plasma Biomarkers of Inflammation and Endothelial Dysfunction. *J. Nutr.*, v. 135(3), p. 562-566, 2005.

- 7 ROSE, G. A. et al. Corn Oil in Treatment of Ischaemic Heart Disease. *Br Med J.*, v. 1(5449), p. 1531–1533, 1965.
- 8 CHRISTAKIS, G. et al. Effect of the Anti-Coronary Club Program on Coronary Heart Disease Risk-Factor Status. *JAMA*, v. 198(6), p. 597-604, 1966.
- 9 WOODHILL, J. M. et al. Low Fat, Low Cholesterol Diet in Secondary Prevention of Coronary Heart Disease. *Drugs, Lipid Metabolism, and Atherosclerosis*, v. 109, p. 317-330, 1978.
- 10 LANDS, W. E. Dietary fat and health: the evidence and the politics of prevention: careful use of dietary fats can improve life and prevent disease. *Ann N Y Acad Sci.*, v. (1055), p. 179-92, 2005.
- 11 HIBBELN J. R. et al. Increasing homicide rates and linoleic acid consumption among five Western countries, 1961-2000. *Lipids*, v. 39(12), p. 1207-13, 2004.
- 12 WIJGA, A. H. et al. Breast milk fatty acids and allergic disease in preschool children: The Prevention and Incidence of Asthma and Mite Allergy birth cohort study. *Journal of Allergy and Clinical Immunology*, v. 117(2), p. 440–447, 2006.
- 13 YOU, M. et al. Role of adiponectin in the protective action of dietary saturated fat against alcoholic fatty liver in mice. *Hepatology*, v. 42(3), p. 568–577, 2005.
- 14 FIRESTONE, D. Worldwide regulation of frying fats and oils. *Inform 4*, p. 1366–1371, 1993.

Capítulo 23

- 1 KEYS, A. Atherosclerosis: a problem in newer public health. *J Mt Sinai Hosp NY*, v. 20, p. 118-39, 1953.
- 2 Committee on Medical Aspects of Food Policy. *Diet and cardiovascular disease: report of the panel on diet in relation to cardiovascular disease*, 1984.
- 3 DINICOLANTONIO, J. The cardiometabolic consequences of replacing saturated fats with carbohydrates or Ω -6 polyunsaturated fats: Do the dietary guidelines have it wrong? *Open Heart*, v. 1(1), 2014.
- 4 MENOTTI, A. et al. Food intake patterns and 25-year mortality from coronary heart disease: cross-cultural correlations in the Seven Countries Study. The Seven Countries Study Research Group. *Eur J Epidemiol.*, v. 15(6), p. 507-15, 1999.
- 5 KROMHOUT, D. et al. Prevention of Coronary Heart Disease by Diet and Lifestyle Evidence From Prospective Cross-Cultural, Cohort, and Intervention Studies. *Circulation*, v. 105, p. 893-898, 2002.
- 6 LE FANU, J. *The rise and fall of modern medicine*. New York: Carroll & Graf, 1999.
- 7 TAUBES G. The Soft Science of Dietary Fat. *Science*, v. 291(5513), p. 2536-2545, 2001.

Capítulo 24

- 1 FIRESTONE, D. Worldwide regulation of frying fats and oils. *Inform 4*, p. 1366–1371, 1993.
- 2 WALLACE, S. K. et al. Trans-fatty acids and nonlipid risk factors. *Curr Atheroscler Rep.*, v. 11(6), p. 423-33, 2009.

Capítulo 25

- 1 SIMOPOULOS, A. P. Evolutionary aspects of diet and essential fatty acids. *World Rev Nutr Diet.*, v. 88, p. 18-27, 2001.
- 2 SIMOPOULOS, A. P. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Exp Biol Med (Maywood)*, v. 233(6), p. 674-88, 2008.

3 SIMOPOULOS, A. P. Evolutionary aspects of diet, the omega-6/omega-3 ratio and genetic variation: nutritional implications for chronic diseases. *Biomedicine & Pharmacotherapy*, v. 60(9), p. 502–507, 2006.

4 MINGER, D. *The Death by Food Pyramid: How Shoddy Science, Sketchy Politics and Shady Special Interests Have Ruined Our Health*, 2014.

Capítulo 26

1 Classics in arteriosclerosis research: On experimental cholesterol steatosis and its significance in the origin of some pathological processes by N. Anitschkow and S. Chaladow, translated by Mary Z. Pelias, 1913. *Arteriosclerosis*, v. 3(2), p. 178-82, 1983.

2 SIRI-TARINO, P. W. et al. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr.*, v. 91(3), p. 535-546, 2010.

3 MENTE, A. et al. A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch Intern Med.*, v. 169(7), p. 659-69, 2009.

4 RONG, Y. et al. Egg consumption and risk of coronary heart disease and stroke: dose-response meta-analysis of prospective cohort studies. *BMJ*, v. 346(8539), 2013.

5 HU, F. B. et al. A Prospective Study of Egg Consumption and Risk of Cardiovascular Disease in Men and Women. *JAMA*, v. 281(15), p. 1387-1394, 1999.

6 WAINWRIGHT, G. *The High-Cholesterol Paradox - Based upon a presentation to the European Conference WAPF London 2014*. Disponível em: <<http://www.lizscript.co.uk/glyn/paradox.pdf>>. Acesso em: 30 jan. 2015.

7 RICHARD, J. L. [Coronary risk factors. The French paradox]. *Arch Mal Coeur Vaiss*, v.80(17-21), 1987.

8 HAUSWIRTH, C. B. et al. High omega-3 fatty acid content in alpine cheese: the basis for an alpine paradox. *Circulation*, v. 109(1), p. 103-7, 2004.

9 MOZAFFARIAN, D. et al. Dietary fats, carbohydrate, and progression of coronary atherosclerosis in postmenopausal women. *Am J Clin Nutr.*, v. 80(5), p. 1175-84, 2004.

10 SERRA-MAJEM, L. et al. How could changes in diet explain changes in coronary heart disease mortality in Spain? The Spanish paradox. *Am J Clin Nutr.*, v. 61(6), p. 1351S-1359S, 1995.

11 WEVERLING-RIJNSBURGER, A. W. E. et al. Total cholesterol and risk of mortality in the oldest old. *The Lancet*, v. 350(9085), p. 1119–1123, 1997.

12 SCHATZ, I. J. et al. Cholesterol and all-cause mortality in elderly people from the Honolulu Heart Program: a cohort study. *The Lancet*, v. 358(9279) p. 351–355, 2001.

13 CHAMPEAU, R. UCLA Newsroom, Jan. 2009. *Most heart attack patients' cholesterol levels did not indicate cardiac risk*. Disponível em: <<http://newsroom.ucla.edu/portal/ucla/majority-of-hospitalized-heart-75668.aspx>>. Acesso em: 30 jan. 2015.

14 KUO, P. T. Hyperglyceridemia in Coronary Artery Disease and Its Management. *JAMA*, v. 201(2), p. 87-94, 1967.

15 PETURSSON, H. et al. Is the use of cholesterol in mortality risk algorithms in clinical guidelines valid? Ten years prospective data from the Norwegian HUNT 2 study. *J Eval Clin Pract.*, v. 18(1), p. 159–168, 2012.

16 PUASCHITZ, N. G. et al. Dietary Intake of Saturated Fat Is Not Associated with Risk of Coronary Events or Mortality in Patients with Established Coronary Artery Disease. *J. Nutr.*, v. 114, 2014.

- 17 STAMPFER, M. J. et al. A Prospective Study of Triglyceride Level, Low-Density Lipoprotein Particle Diameter, and Risk of Myocardial Infarction. *JAMA*, v. 276(11), p. 882-888, 1996.
- 18 NEATON, J. D. et al. Serum Cholesterol Level and Mortality Findings for Men Screened in the Multiple Risk Factor Intervention Trial. *Arch Intern Med.*, v. 152(7), p. 1490-1500, 1992.
- 19 KAPLAN, J. R. et al. Assessing the Observed Relationship between Low Cholesterol and Violence-related Mortality - Implications for Suicide Risk. The Neurobiology of Suicide: From the Bench to the Clinic. *Annals of the New York Academy of Sciences*, v. 836, p. 57-80, 1997.
- 20 NAGO N. et al. Low cholesterol is associated with mortality from stroke, heart disease, and cancer: the Jichi Medical School Cohort Study. *J Epidemiol.*, v. 21(1), p. 67-74, 2011.
- 21 BAE, J. et al. Low Cholesterol is Associated with Mortality from Cardiovascular Diseases: A Dynamic Cohort Study in Korean Adults. *J Korean Med Sci.*, v. 27(1), p. 58-63, 2012.
- 22 SIMES, R. J. Low cholesterol and risk of non-coronary mortality. *Aust N Z J Med.*, v. 24(1), p. 113-9, 1994.
- 23 TRIBBLE, D. L. et al. Variations in oxidative susceptibility among six low density lipoprotein subfractions of differing density and particle size. *Atherosclerosis*, v. 93(3), p. 189-99, 1992.
- 24 ST-PIERRE, A. C. et al. Low-Density Lipoprotein Subfractions and the Long-Term Risk of Ischemic Heart Disease in Men - 13-Year Follow-Up Data From the Québec Cardiovascular Study. *Arteriosclerosis, Thrombosis, and Vascular Biology*, v. 25, p. 553-559, 2005.
- 25 PACKARD, C. et al. The role of small, dense low density lipoprotein (LDL): a new look. *International Journal of Cardiology*, v. 74(1), p. S17-S22, 2000.
- 26 CAMPOS, H. et al. Low density lipoprotein particle size and coronary artery disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*, v. 12, p. 187-195, 1992.
- 27 LAMARCHE, B. et al. Small, Dense Low-Density Lipoprotein Particles as a Predictor of the Risk of Ischemic Heart Disease in Men - Prospective Results From the Quebec Cardiovascular Study. *Circulation*, v. 95, p. 69-75, 1997.
- 28 GARDNER, C. D. et al. Association of Small Low-Density Lipoprotein Particles With the Incidence of Coronary Artery Disease in Men and Women. *JAMA*, v. 276(11), p. 875-881, 1996.
- 29 MENSINK, R. P. et al. Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. *Am J Clin Nutr.*, v. 77(5), p. 1146-1155, 2003.
- 30 AUDE, Y. W. et al. The National Cholesterol Education Program Diet vs a Diet Lower in Carbohydrates and Higher in Protein and Monounsaturated Fat - A Randomized Trial. *Arch Intern Med.*, v. 164(19), p. 2141-2146, 2004.
- 31 VOLEK, J. S. et al. Carbohydrate Restriction has a More Favorable Impact on the Metabolic Syndrome than a Low Fat Diet. *Lipids*, v. 44(4), p 297-309, 2009.
- 32 GINSBERG, H. N. et al. Effects of Reducing Dietary Saturated Fatty Acids on Plasma Lipids and Lipoproteins in Healthy Subjects - The Delta Study, Protocol 1. *Arteriosclerosis, Thrombosis, and Vascular Biology*, v. 18, p. 441-449, 1998.
- 33 MÜLLER, H. et al. The Serum LDL/HDL Cholesterol Ratio Is Influenced More Favorably by Exchanging Saturated with Unsaturated Fat Than by Reducing Saturated Fat in the Diet of Women. *J. Nutr.*, v. 133(1), p. 78-83, 2003
- 34 NICHOLS, A. B. et al. Daily nutritional intake and serum lipid levels. The Tecumseh study. *Am J Clin Nutr.*, v. 29(12), p. 1384-92, 1976.

- 35 PACKARD, C. et al. The role of small, dense low density lipoprotein (LDL): a new look. *International Journal of Cardiology*, v. 74(1), p. S17–S22, 2000.
- 36 SIRI-TARINO, P. W. et al. Saturated fat, carbohydrate, and cardiovascular disease. *Am J Clin Nutr.*, v. 91(3), p. 502-509, 2010.
- 37 DREON D.M. et al. Low-density lipoprotein subclass patterns and lipoprotein response to a reduced-fat diet in men. *FASEB J.*, v. 8(1), p. 121-6, 1994.
- 38 DREON D.M. et al. Change in dietary saturated fat intake is correlated with change in mass of large low-density-lipoprotein particles in men. *Am J Clin Nutr.*, v. 67(5), p. 828-836, 1998.
- 39 MENSINK, R. P. et al. Effect of dietary fatty acids on serum lipids and lipoproteins. A meta-analysis of 27 trials. *Arterioscler Thromb*, v. 12(8), p. 911-9, 1992.
- 40 KRAUSS, R. M. et al. Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. *Am J Clin Nutr.*, v. 83(5), p. 1025-1031, 2006.
- 41 CHOWDHURY, R. et al. Association of Dietary, Circulating, and Supplement Fatty Acids With Coronary Risk: A Systematic Review and Meta-analysis. *Ann Intern Med.*, v. 160(6), p. 398-406, 2014.
- 42 RAVNSKOV, U. The questionable role of saturated and polyunsaturated fatty acids in cardiovascular disease. *J Clin Epidemiol.*, v. 51(6), p. 443-60, 1998.
- 43 MALHOTRA, A. Saturated fat is not the major issue. *BMJ*, v. 347, 2013.
- 44 HANDELMAN, G. J. et al. Lutein and zeaxanthin concentrations in plasma after dietary supplementation with egg yolk. *Am J Clin Nutr.*, v. 70(2), p. 247-251, 1999.
- 45 JENSEN, H. H. et al. Choline in the diets of the US population: NHANES, 2003–2004 (Meeting Abstract Supplement). *FASEB J.*, LB46, 2007.
- 46 FERNANDEZ, M. L. Dietary cholesterol provided by eggs and plasma lipoproteins in healthy populations. *Curr Opin Clin Nutr Metab Care*, v. 9(1), p. 8-12, 2006.
- 47 MUTUNGI, G. et al. Eggs distinctly modulate plasma carotenoid and lipoprotein subclasses in adult men following a carbohydrate-restricted diet. *J Nutr Biochem.*, v. 21(4), p. 261-7, 2010.
- 48 LEE, A. et al. Dietary cholesterol, eggs and coronary heart disease risk in perspective. *Nutrition Bulletin*, v. 31(1), p. 21–27, 2006.
- 49 BLESSO, C. N. et al. Whole egg consumption improves lipoprotein profiles and insulin sensitivity to a greater extent than yolk-free egg substitute in individuals with metabolic syndrome. *Metabolism*, v. 62(3), p. 400-10, 2013.
- 50 SACHDEVA, A. et al. Lipid levels in patients hospitalized with coronary artery disease: an analysis of 136,905 hospitalizations in Get With The Guidelines. *Am Heart J.*, v. 157(1), p. 111-117, 2009.
- 51 Da LUZ, P. L. et al. High Ratio of Triglycerides to HDL-Cholesterol Predicts Extensive Coronary Disease. *Clinics*, v. 63(4), p. 427–432, 2008.
- 52 SHISHEHBOR, M H. et al. Association of Triglyceride-to-HDL Cholesterol Ratio With Heart Rate Recovery. *Diabetes Care*, v. 27(4), p. 936-941, 2004.
- 53 SIERI, S. et al. Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. *J Natl Cancer Inst.*, v. 106 (5), 2014.
- 54 HU, F. B. et al. Dietary Fat Intake and the Risk of Coronary Heart Disease in Women. *N Engl J Med.*, v. 337, p. 1491-1499, 1997.

55 BREHM, B. J. et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab.*, v. 88(4), p. 1617-23, 2003.

Capítulo 27

1 HOWARD, B. V. et al. Low-fat dietary pattern and risk of cardiovascular disease: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA*, v. 295(6), p. 655-66, 2006.

2 HOWARD, B. V. et al. Low-fat dietary pattern and weight change over 7 years: the Women's Health Initiative Dietary Modification Trial. *JAMA*, v. 295(1), p. 39-49, 2006.

3 BERESFORD S. A. . et al. Low-fat dietary pattern and risk of colorectal cancer: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA*, v. 295(6), p. 643-54, 2006.

4 PRENTICE, R. L. et al. Low-fat dietary pattern and risk of invasive breast cancer: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA*, v. 295(6), p. 629-42, 2006.

5 Multiple Risk Factor Intervention Trial. Risk Factor Changes and Mortality Results. *JAMA*, v. 248(12), p. 1465-1477, 1982.

6 NIH – National Institutes of Health. *Weight loss does not lower heart disease risk from type 2 diabetes*, jun. 2013. Disponível em: <<http://www.nih.gov/news/health/oct2012/niddk-19.htm>>. Acesso em: 30 jan. 2015.

7 The Look AHEAD Research Group. Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes. *N Engl J Med.*, v. 369, p. 145-154, 2013.

8 PARKS, E. J. et al. Effects of a low-fat, high-carbohydrate diet on VLDL-triglyceride assembly, production, and clearance. *J Clin Invest.*, v. 104(8), p. 1087–1096, 1999

9 BRINTON, E. A. et al. A low-fat diet decreases high density lipoprotein (HDL) cholesterol levels by decreasing HDL apolipoprotein transport rates. *J Clin Invest.*, v. 85(1), p. 144–151, 1990.

10 DREON, D. M. et al. Reduced LDL particle size in children consuming a very-low-fat diet is related to parental LDL-subclass patterns. *Am J Clin Nutr.*, v. 71(6), p. 1611-1616, 2000.

11 DREON, D. M. et al. A very low-fat diet is not associated with improved lipoprotein profiles in men with a predominance of large, low-density lipoproteins. *Am J Clin Nutr.*, v. 69(3), p. 411-8, 1999.

12 SIRI-TARINO, P. W. et al. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr.*, v. 91(3), p. 535-546, 2010.

13 YAMAGISHI, K. et al. Dietary intake of saturated fatty acids and mortality from cardiovascular disease in Japanese: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. *Am J Clin Nutr.*, v. 92(4), p. 759-765, 2010.

14 ALONSO, A. et al. Dietary Phosphorus, Blood Pressure, and Incidence of Hypertension in the Atherosclerosis Risk in Communities Study and the Multi-Ethnic Study of Atherosclerosis. *Hypertension*, v. 55, p (776-784), 2010.

15 SACKS, F. M. et al. Effect on Blood Pressure of Potassium, Calcium, and Magnesium in Women With Low Habitual Intake. *Hypertension*, v. 31, p. 131-138, 1998.

16 GELEIJNSE, J. M. et al. Blood pressure response to changes in sodium and potassium intake: a metaregression analysis of randomised trials. *Journal of Human Hypertension*, v. 17, p. 471–480, 2003.

17 GOLDBOURT, U. et al. Factors predictive of long-term coronary heart disease mortality among 10,059 male Israeli civil servants and municipal employees. A 23-year mortality follow-up in the Israeli Ischemic Heart Disease Study. *Cardiology*, v. 82(2-3), p. 100-21, 1993.

18 GRIEL, A. E. et al. Beyond Saturated Fat: The Importance of the Dietary Fatty Acid Profile on Cardiovascular Disease. *Nutrition Reviews*, v. 64(5), p. 257–262, 2006.

19 VOLEK, J. S. et al. Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. *Lipids*, v. 44(4), p. 297-309, 2009.

20 EBBELING, C.B. et al. Effects of dietary composition on energy expenditure during weight-loss maintenance. *JAMA*, v. 307, p. 2627-34, 2012.

Capítulo 28

1 HITE, A. H. et al. In the face of contradictory evidence: report of the Dietary Guidelines for Americans Committee. *Nutrition*, v. 26, p. 915–24, 2010.

2 Select Committee on Nutrition and Human Needs of the United States Senate. *Dietary goals for the United States*. Washington, DC: US Government Printing Office, 1977.

3 SIRI-TARINO, P. W. et al. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr.*, v. 91(3), p. 535-546, 2010.

4 HOOPER, L. et al. Reduced or modified dietary fat for preventing cardiovascular disease (review). *Cochrane Database of Systematic Reviews*, v. 5, 2012.

Capítulo 30

1 GROSS, L. S. et al. Increased consumption of refined carbohydrates and the epidemic of type 2 diabetes in the United States: an ecologic assessment. *Am J Clin Nutr.*, v. 79(5), p. 774-779, 2004.

2 HITE, A. H. et al. In the face of contradictory evidence: report of the Dietary Guidelines for Americans Committee. *Nutrition*, v. 26(10), p. 915-24, 2010.

3 VOLEK, J. S. et al. Dietary carbohydrate restriction induces a unique metabolic state positively affecting atherogenic dyslipidemia, fatty acid partitioning, and metabolic syndrome. *Prog Lipid Res.*, v. 47(5), p. 307-18, 2008.

4 FORSYTHE, C. E. et al. Comparison of low fat and low carbohydrate diets on circulating fatty acid composition and markers of inflammation. *Lipids*, v. 43(1), p. 65-77, 2008.

5 FOSTER, G. D. et al. A randomized trial of a low-carbohydrate diet for obesity. *N Engl J Med.*, v. 348(21), p. 2082-90, 2003.

6 STERN, L. et al. The effects of low-carbohydrate versus conventional weight loss diets in severely obese adults: one-year follow-up of a randomized trial. *Ann Intern Med.*, v. 140(10), p. 778-85, 2004.

7 GARDNER, C. et al. Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. *JAMA*, v. 297(9), p. 969–77, 2007.

8 YANCY, W. S. Jr. et al. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Ann Intern Med.*, v. 140(10), p. 769-77, 2004.

9 SHAI, I. et al. Dietary Intervention Randomized Controlled Trial (DIRECT) Group. Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *N Engl J Med.*, v. 359(3), p. 229-41, 2008.

Capítulo 31

1 HOOPER, L. et al. Dietary fat intake and prevention of cardiovascular disease: systematic review. *BMJ*, v. 322, p. 757–63, 2001

- 2 SKEAFF, C. M. et al. Dietary fat and coronary heart disease: summary of evidence from prospective cohort and randomised controlled trials. *Ann Nutr Metab.*, v. 55, p. 173–201, 2009.
- 3 MENTE, A. A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch Intern Med.*, v. 169(7), p. 659–69, 2009.
- 4 SIRI-TARINO, P. W. et al. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr.*, v. 91(3), p. 535-46, 2010.
- 5 HOENSELAAR, R. Saturated fat and cardiovascular disease: The discrepancy between the scientific literature and dietary advice. *Nutrition*, v. 28, p. 118–123, 2012.
- 6 MOZAFFARIAN, D. et al. Effects on coronary heart disease of increasing polyunsaturated fat in place of saturated fat: a systematic review and meta-analysis of randomized controlled trials. *PLoS Med.*, v. 7, 2010.
- 7 RAMSDEN, C. E. et al. N-6 fatty acid-specific and mixed polyunsaturated dietary interventions have different effects on CHD risk: a meta-analysis of randomised controlled trials. *Br J Nutr.*, v. 104(11), p. 1586–600, 2010.
- 8 Low-fat diet in myocardial infarction: a controlled trial. *Lancet*, v. 2(7411), p. 501-4, 1965.
- 9 MOZAFFARIAN, D. et al. Dietary fats, carbohydrate, and progression of coronary atherosclerosis in postmenopausal women. *Am J Clin Nutr.*, v. 80(5), p. 1175-84, 2004.
- 10 PUASCHITZ, N. G. et al. Dietary Intake of Saturated Fat Is Not Associated with Risk of Coronary Events or Mortality in Patients with Established Coronary Artery Disease. *J. Nutr.*, v. 114, 2014.
- 11 LORGERIL, M. et al. Mediterranean Diet, Traditional Risk Factors, and the Rate of Cardiovascular Complications After Myocardial Infarction. *Circulation*, v. 99, p. 779-785, 1999.
- 12 CHOWDHURY, R. et al. Association of Dietary, Circulating, and Supplement Fatty Acids With Coronary Risk: A Systematic Review and Meta-analysis. *Ann Intern Med.*, v.160(6), p. 398-406, 2014.
- 13 MALHOTRA, A. Saturated fat is not the major issue. *BMJ*, v. 347, 2013.
- 14 STANHOPE, K. L. et al. Consumption of Fructose and High Fructose Corn Syrup Increase Postprandial Triglycerides, LDL-Cholesterol, and Apolipoprotein-B in Young Men and Women. *The Journal of Clinical Endocrinology & Metabolism*, v. 96(10), 2011.
- 15 DREON D.M. et al. Change in dietary saturated fat intake is correlated with change in mass of large low-density-lipoprotein particles in men. *Am J Clin Nutr.*, v. 67(5), p. 828-836, 1998.
- 16 SAREMI A. et al. Progression of vascular calcification is increased with statin use in the Veterans Affairs Diabetes Trial (VADT). *Diabetes Care*, v. 35(11), p. 2390-2, 2012.
- 17 HOLMBERG, S. et al. High dairy fat intake related to less central obesity: a male cohort study with 12 years' follow-up. *Scand J Prim Health Care*, v. 31(2), p. 89-94, 2013.
- 18 ESTRUCH, R. et al. Primary Prevention of Cardiovascular Disease with a Mediterranean Diet. *N Engl J Med.*, v. 368, p. 1279-1290, 2013
- 19 CASTELLI, W. P. Concerning the Possibility of a Nut... *Arch Intern Med.*, v. 152(7), p. 1371-1372, 1992.
- 20 KANNEL, W. B. Metabolic risk factors for coronary heart disease in women: perspective from the Framingham Study. *Am Heart J.*, v. 114(2), p. 413-9, 1987.
- 21 TEICHOLZ, N. *The Big Fat Surprise: Why Butter, Meat and Cheese Belong in a Healthy Diet*, 2014.

Capítulo 32

- 1 SANDMAIER, M. National Heart, Lung, and Blood Institute, dez. 2005. *Your Guide to a Healthy Heart*. Disponível em: <<http://www.nhlbi.nih.gov/health/resources/heart/healthy-heart-guide.html>>. Acesso em: 31 jan. 2015.
- 2 JONASSON, L. et al. Advice to follow a low-carbohydrate diet has a favourable impact on low-grade inflammation in type 2 diabetes compared with advice to follow a low-fat diet. *Ann Med.*, v. 46(3), p. 182-7, 2014.
- 3 SIMOPOULOS, A. P. Evolutionary aspects of diet, the omega-6/omega-3 ratio and genetic variation: nutritional implications for chronic diseases. *Biomedicine & Pharmacotherapy*, v. 60(9), p. 502–507, 2006.
- 4 HIBBELN, J. R. et al. Healthy intakes of n-3 and n-6 fatty acids: estimations considering worldwide diversity1–5. *Am J Clin Nutr.*, v. 83(6), p. S1483-1493S, 2006.
- 5 ROSE, G. A. et al. Corn Oil in Treatment of Ischaemic Heart Disease. *Br Med J.*, v. 1(5449), p. 1531–1533, 1965.
- 6 WOODHILL, J. M. et al. Low Fat, Low Cholesterol Diet in Secondary Prevention of Coronary Heart Disease. *Advances in Experimental Medicine and Biology*, v. 109, p. 317-330, 1978.
- 7 LANDS W. E. Dietary fat and health: the evidence and the politics of prevention: careful use of dietary fats can improve life and prevent disease. *Ann N Y Acad Sci.*, v. 1055 p. 179-92, 2005.
- 8 STAMPFER, M. J. et al. A Prospective Study of Triglyceride Level, Low-Density Lipoprotein Particle Diameter, and Risk of Myocardial Infarction. *JAMA*, v. 276(11), p. 882-888, 1996.

Capítulo 33

- 1 HANSEN, A. Swedish health advisory body says too much carbohydrate, not fat, leads to obesity. *BMJ*, v. 347, 2013.
- 2 SBU – Swedish Council on Health Technology Assessment. *Dietary treatment of obesity – A systematic review*. Disponível em: <http://www.sbu.se/upload/Publikationer/Content1/1/Diets_among_obese_individuals.pdf>. Acesso em: 01 fev. 2015.
- 3 HOLMBERG, S. et al. High dairy fat intake related to less central obesity: a male cohort study with 12 years' follow-up. *Scand J Prim Health Care*, v. 31(2), p. 89-94, 2013.
- 4 CHOWDHURY, R. et al. Association of Dietary, Circulating, and Supplement Fatty Acids With Coronary Risk: A Systematic Review and Meta-analysis. *Ann Intern Med.*, v. 160(6), p. 398-406, 2014.

Capítulo 34

- 1 DYSON, P. A. et al. A low-carbohydrate diet is more effective in reducing body weight than healthy eating in both diabetic and non-diabetic subjects. *Diabet Med.*, v. 24(12), p. 1430-5, 2007.
- 2 VOLEK, J. S. et al. Comparison of energy-restricted very low-carbohydrate and low-fat diets on weight loss and body composition in overweight men and women. *Nutr Metab (Lond)*, v. 1, p. 13, 2004.
- 3 VOLEK, J. S. et al. Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. *Lipids*, v. 44(4), p. 297-309. 2009.
- 4 KEOGH, J. B. et al. Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. *Am J Clin Nutr.*, v. 87(3), p. 567-576, 2008.

- 5 FOSTER, G. D. et al. A randomized trial of a low-carbohydrate diet for obesity. *N Engl J Med.*, v. 348(21), p. 2082-90, 2003.
- 6 BRINKWORTH, G. D. et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr.*, v. 90(1), p. 23-32, 2009.
- 7 WESTMAN, E. C. et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond)*, v. 5, p. 36, 2008.
- 8 YANCY, W. S. et al. A low-carbohydrate, ketogenic diet to treat type 2 diabetes. *Nutr Metab (Lond)*, v. 2, p. 34, 2005.
- 9 KRAUSS R. M. et al. Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. *Am J Clin Nutr.*, v. 83(5), p. 1025-31, 2006.
- 10 DALY, M. E. et al. Short-term effects of severe dietary carbohydrate-restriction advice in Type 2 diabetes--a randomized controlled trial. *Diabet Med.*, v. 23(1), p. 15-20, 2006.
- 11 GARDNER, C. D. et al. Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. *JAMA*, v. 297(9), p. 969-77, 2007.
- 12 SANTOS, F. L. et al. Systematic review and meta-analysis of clinical trials of the effects of low carbohydrate diets on cardiovascular risk factors. *Obesity Reviews*, v. 13(11), p. 1048–1066, 2012.
- 13 HESSION, M. et al. Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities. *Obesity Reviews*, v. 10(1), p. 36–50, 2009.
- 14 WESTMAN, E. C. et al. Low-carbohydrate nutrition and metabolism. *Am J Clin Nutr.*, v. 86(2), p. 276-284, 2007.
- 15 PHINNEY, S. D. et al. The human metabolic response to chronic ketosis without caloric restriction: *Physical and biochemical adaptation*, v. 32(8), p. 757–768, 1983.
- 16 MAALOUF, M. et al. The neuroprotective properties of calorie restriction, the ketogenic diet, and ketone bodies. *Brain Res Rev.*, v. 59(2), p. 293-315, 2009.
- 17 HENDERSON, S. T. Ketone bodies as a therapeutic for Alzheimer's disease. *Neurotherapeutics*, v. 5(3), p. 470-80, 2008.
- 18 ZHOU, W. et al. The calorically restricted ketogenic diet, an effective alternative therapy for malignant brain cancer. *Nutr Metab (Lond)*, v. 4, p. 5, 2007.
- 19 BARAÑANO, K. W. et al. The ketogenic diet: uses in epilepsy and other neurologic illnesses. *Curr Treat Options Neurol.*, v. 10(6), p. 410-9, 2008.
- 20 POPLAWSKI M. M. et al. Reversal of diabetic nephropathy by a ketogenic diet. *PLoS One*, v. 6(4), 2011.
- 21 GREENE, A. E. et al. Perspectives on the metabolic management of epilepsy through dietary reduction of glucose and elevation of ketone bodies. *Journal of Neurochemistry*, v 86(3), p 529–537, 2003.
- 22 VELDHORST, M. A. B. et al. Gluconeogenesis and energy expenditure after a high-protein, carbohydrate-free diet1–3. *Am J Clin Nutr.*, v. 90, p. 519–26, 2009.
- 23 CAHILL, G.F. Starvation in man. *N Engl J Med.*, v. 282, p. 668–75, 1970.
- 24 MARTIN, W. F. et al. Dietary protein intake and renal function. *Nutr Metab (Lond)*, v. 2, p. 25, 2005.

- 25 ITOH, R. et al. Dietary protein intake and urinary excretion of calcium: a cross-sectional study in a healthy Japanese population. *Am J Clin Nutr.*, v. 67(3), p. 438-44, 1998.
- 26 KERSTETTER, J. E. et al. Dietary protein, calcium metabolism, and skeletal homeostasis revisited. *Am J Clin Nutr.*, v. 78(3), p. 584S-592S, 2003.
- 27 CAO, J. J. et al. A diet high in meat protein and potential renal acid load increases fractional calcium absorption and urinary calcium excretion without affecting markers of bone resorption or formation in postmenopausal women. *J Nutr.*, v. 141(3), p. 391-7, 2011.
- 28 FRIEDMAN, A. N. et al. Comparative effects of low-carbohydrate high-protein versus low-fat diets on the kidney. *Clin J Am Soc Nephrol.*, v. 7(7), p. 1103-11, 2012.
- 29 LARSEN, R. N. et al. The effect of high-protein, low-carbohydrate diets in the treatment of type 2 diabetes: a 12 month randomised controlled trial. *Diabetologia*, v. 54(4), p. 731-40, 2011.
- 30 JOHNSTON, C. S. et al. High-protein, low-fat diets are effective for weight loss and favorably alter biomarkers in healthy adults. *J Nutr.*, v. 134(3), p. 586-91, 2004.
- 31 CARTER, J. D. et al. The effect of a low-carbohydrate diet on bone turnover. *Osteoporos Int.*, v. 17(9), p. 1398-403, 2006.
- 32 KERSTETTER, J. E. et al. Dietary protein and skeletal health: a review of recent human research. *Curr Opin Lipidol.*, v. 22(1), p. 16-20, 2011.
- 33 HANNAN, M. T. et al. Effect of Dietary Protein on Bone Loss in Elderly Men and Women: The Framingham Osteoporosis Study. *Journal of Bone and Mineral Research*, v. 15(12), p. 2504–2512, 2000.
- 34 MUNGER, R. G. et al. Prospective study of dietary protein intake and risk of hip fracture in postmenopausal women. *Am J Clin Nutr.*, v. 69(1), p. 147-152, 1999.
- 35 MANNINEN, A. H. High-Protein Weight Loss Diets and Purported Adverse Effects: Where is the Evidence? *Journal of the International Society of Sports Nutrition*, v. 1, p. 45-51, 2004.
- 36 BONJOUR, J. P. Dietary protein: an essential nutrient for bone health. *J Am Coll Nutr.*, v. 24(6), p. 526S-36S, 2005.
- 37 SKOV, A. R. et al. Changes in renal function during weight loss induced by high vs low-protein low-fat diets in overweight subjects. *Int J Obes Relat Metab Disord.*, v. 23(11), p. 1170-7, 1999.
- 38 MUNGER, R. G. et al. Prospective study of dietary protein intake and risk of hip fracture in postmenopausal women. *Am J Clin Nutr.*, v. 69(1), p. 147-152, 1999.
- 39 CALVEZ, J. et al. Protein intake, calcium balance and health consequences. *Eur J Clin Nutr.*, v. 66(3), p. 281-95, 2012.
- 40 SURDYKOWSKI, A. K. et al. Optimizing bone health in older adults: the importance of dietary protein. *Aging health*, v. 6(3), p. 345–357, 2010.
- 41 SOUTO, J. C. Dieta Low-Carb e Paleolítica, mai. 2012. *A dieta é perigosa para os rins?*. Disponível em: <<http://www.lowcarb-paleo.com.br/2012/05/dieta-e-perigosa-para-os-rins.html>>. Acesso em: 01 fev. 2015.
- 42 PARKER, B. et al. Effect of a High-Protein, High-Monounsaturated Fat Weight Loss Diet on Glycemic Control and Lipid Levels in Type 2 Diabetes. *Diabetes Care*, v. 25(3), p. 425-430, 2002.
- 43 BURKE, V. et al. Dietary Protein and Soluble Fiber Reduce Ambulatory Blood Pressure in Treated Hypertensives. *Hypertension*, v. 38, p. 821-826, 2001.
- 44 GANNON, M. C. et al. An increase in dietary protein improves the blood glucose response in persons with type 2 diabetes. *Am J Clin Nutr.*, v. 78(4), p. 734-741, 2003.

- 45 APPEL, L. J. et al. Effects of Protein, Monounsaturated Fat, and Carbohydrate Intake on Blood Pressure and Serum Lipids - Results of the OmniHeart Randomized Trial. *JAMA*, v. 294(19), p. 2455-2464, 2005.
- 46 LOWERY, L. M. et al. Dietary protein safety and resistance exercise: what do we really know? *J Int Soc Sports Nutr.*, v. 6, p. 3, 2010.
- 47 LI, Z. et al. Protein-enriched meal replacements do not adversely affect liver, kidney or bone density: an outpatient randomized controlled trial. *Nutr J.*, v. 9, p. 72, 2010.
- 48 BRINKWORTH, G. D. et al. Renal function following long-term weight loss in individuals with abdominal obesity on a very-low-carbohydrate diet vs high-carbohydrate diet. *J Am Diet Assoc.*, v. 110(4), p. 633-8, 2010.
- 49 POORTMANS, J. R. et al. Original Research Do Regular High Protein Diets Have Potential Health Risks on Kidney Function in Athletes? *IJSNEM*, v 10(1), 2000.
- 50 KNIGHT, E. L. et al. The Impact of Protein Intake on Renal Function Decline in Women with Normal Renal Function or Mild Renal Insufficiency. *Ann Intern Med.*, v. 138(6), p. 460-467, 2003.
- 51 STOCK, A. L. et al. Nutrient Intake of Subjects on Low Carbohydrate Diet Used in Treatment of Obesity. *Am J Clin Nutr.*, v. 23(7), p. 948-952, 1970.
- 52 KRIEGER, J. W. et al. Effects of variation in protein and carbohydrate intake on body mass and composition during energy restriction: a meta-regression. *Am J Clin Nutr.*, v. 83(2), p. 260-274, 2006.
- 53 YANCY, W. S. et al. A Low-Carbohydrate, Ketogenic Diet versus a Low-Fat Diet To Treat Obesity and Hyperlipidemia: A Randomized, Controlled Trial. *Ann Intern Med.*, v. 140(10), p. 769-777, 2004.
- 54 HERNANDEZ, T. L. et al. Lack of suppression of circulating free fatty acids and hypercholesterolemia during weight loss on a high-fat, low-carbohydrate diet. *Am J Clin Nutr.*, v. 91(3), p. 578-585, 2010.
- 55 TIWARI, S. et al. Insulin's impact on renal sodium transport and blood pressure in health, obesity, and diabetes. *American Journal of Physiology*, v. 293(4), p. F974-F984, 2007
- 56 VOLEK, J. S. et al. Body composition and hormonal responses to a carbohydrate-restricted diet. *Metabolism*, v. 51(7), p. 864-870, 2002.
- 57 BAZZANO, L. A. et al. Effects of Low-Carbohydrate and Low-Fat Diets: A Randomized Trial. *Ann Intern Med.*, v. 161(5), p. 309-318, 2014.
- 58 MANNINEN, A. H. Very-low-carbohydrate diets and preservation of muscle mass. *Nutr Metab (Lond)*, v. 3, p. 9, 2006.

Capítulo 35

- 1 WESTMAN, E. C. et al. Low-carbohydrate nutrition and metabolism. *Am J Clin Nutr.*, v. 86(2), p. 276-284, 2007.
- 2 SANTOS, F. L. et al. Systematic review and meta-analysis of clinical trials of the effects of low carbohydrate diets on cardiovascular risk factors. *Obesity Reviews*, v. 13(11), p. 1048–1066, 2012.
- 3 HESSION, M. et al. Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities. *Obesity Reviews*, v 10(1), p. 36-50, 2009.
- 4 BREHM, B. J. et al. A Randomized Trial Comparing a Very Low Carbohydrate Diet and a Calorie-Restricted Low Fat Diet on Body Weight and Cardiovascular Risk Factors in Healthy Women. *J Clin Endocrinol Metab.*, v. 88(4), p. 1617–1623, 2003.

- 5 DYSON, P. A. et al. A low-carbohydrate diet is more effective in reducing body weight than healthy eating in both diabetic and non-diabetic subjects. *Diabetic Medicine*, v. 24(12), p. 1430-1435, 2007.
- 6 GARDNER, C. D. et al. Comparison of the Atkins, Zone, Ornish, and LEARN Diets for Change in Weight and Related Risk Factors Among Overweight Premenopausal Women - The A TO Z Weight Loss Study: A Randomized Trial. *JAMA*, v. 297(9), p. 969-977, 2007.
- 7 DALY, M. E. et al. Short-term effects of severe dietary carbohydrate-restriction advice in Type 2 diabetes—a randomized controlled trial. *Diabetic Medicine*, v. 23(1), p. 15-20, 2006.
- 8 WESTMAN, E. C. et al. Has carbohydrate-restriction been forgotten as a treatment for diabetes mellitus? A perspective on the ACCORD study design. *Nutr Metab (Lond)*, v. 5, p. 10, 2008.
- 9 DASHTI, H. M. et al. Beneficial effects of ketogenic diet in obese diabetic subjects. *Molecular and Cellular Biochemistry*, v. 302(1-2), p. 249-256, 2007.
- 10 KREBS, N. F. et al. Efficacy and Safety of a High Protein, Low Carbohydrate Diet for Weight Loss in Severely Obese Adolescents. *J Pediatr.*, v. 157(2), p. 252-258, 2010.
- 11 KEOGH, J. B. et al. Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. *Am J Clin Nutr.*, v. 87(3), p. 567-576, 2008.
- 12 BRINKWORTH, G. D. et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr.*, v. 90(1), p. 23-32, 2009.
- 13 WESTMAN, E. C. et al. The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutr Metab (Lond)*, v. 5, p. 36, 2008.
- 14 KRAUSS, R. M. et al. Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. *Am J Clin Nutr.*, v. 83(5), p. 1025-31, 2006.
- 15 VOLEK, J. S. et al. Comparison of energy-restricted very low-carbohydrate and low-fat diets on weight loss and body composition in overweight men and women. *Nutr Metab (Lond)*, v. 1, p. 13, 2004.
- 16 ADABAG, S. et al. Obesity related risk of sudden cardiac death in the atherosclerosis risk in communities study. *Heart.*, v. 101(3), p. 215-21, 2015.
- 17 AUDE, Y. W. et al. The National Cholesterol Education Program Diet vs a Diet Lower in Carbohydrates and Higher in Protein and Monounsaturated Fat - A Randomized Trial. *Arch Intern Med.*, v. 164(19), p. 2141-2146, 2004.
- 18 VOLEK, J. S. et al. Carbohydrate Restriction has a More Favorable Impact on the Metabolic Syndrome than a Low Fat Diet. *Lipids*, v. 44(4), p. 297-309, 2009.
- 19 HOWARD, B. V. et al. Low-fat dietary pattern and weight change over 7 years: the Women's Health Initiative Dietary Modification Trial. *JAMA*, v. 295(1), p. 39-49, 2006.
- 20 HOWARD, B. V. et al. Low-Fat Dietary Pattern and Risk of Cardiovascular Disease - The Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA*, v. 295(6), p. 655-666, 2006.
- 21 Multiple Risk Factor Intervention Trial - Risk Factor Changes and Mortality Results. *JAMA*, v. 248(12), p. 1465-1477, 1982.
- 22 LARSEN, T. M. et al. Diets with high or low protein content and glycemic index for weight-loss maintenance. *N Engl J Med.*, v. 363(22), p. 2102-13, 2010.
- 23 BEAVER, J. D. et al. Individual differences in reward drive predict neural responses to images of food. *J Neurosci.*, v. 26(19), p. 5160-6, 2006.

24 STOECKEL, L.E. et al. Widespread reward-system activation in obese women in response to pictures of high-calorie foods. *Neuroimage.*, v. 41(2), p. 636-47, 2008.

25 YANCY, W. S. Jr. et al. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. *Ann Intern Med.*, v. 140(10), p. 769-77, 2004.

26 GUNNARS, K. Authority Nutrition – an evidence-based approach. Low-Carb Diets – *Healthy, but Hard to Stick to?* Disponível em: <<http://authoritynutrition.com/low-carb-diets-healthy-but-hard/>>. Acesso em: 02 fev. 2015.

27 NICKOLS-RICHARDSON, S. M. et al. Perceived Hunger Is Lower and Weight Loss Is Greater in Overweight Premenopausal Women Consuming a Low-Carbohydrate/High-Protein vs High-Carbohydrate/Low-Fat Diet. *Journal of the Academy of Nutrition and Dietetics*, v. 105(9), p. 1433–1437, 2005.

Capítulo 36

1 SHAI, I. et al. Weight Loss with a Low-Carbohydrate, Mediterranean, or Low-Fat Diet. *N Engl J Med.*, v. 359, p. 229-241, 2008.

2 GUYENET, S. Whole Health Source – Nutrition and Health Science, Jul. 2008. *The Inuit: Lessons from the Arctic*. Disponível em: <<http://wholehealthsource.blogspot.com.br/2008/07/inuit-lessons-from-arctic.html>>. Acesso em: 01 fev. 2015.

3 GUYENET, S. Whole Health Source – Nutrition and Health Science, Jun. 2008. *Masai and Atherosclerosis*. Disponível em: <<http://wholehealthsource.blogspot.com.br/2008/06/masai-and-atherosclerosis.html>>. Acesso em: 01 fev. 2015.

4 KRATZ, M. et al. The relationship between high-fat dairy consumption and obesity, cardiovascular, and metabolic disease. *European Journal of Nutrition*, v. 52(1), p. 1-24, 2013.

5 BONTHUIS, M. et al. Dairy consumption and patterns of mortality of Australian adults. *European Journal of Clinical Nutrition*, v. 64, p. 569–577, 2010.

6 SMIT, L. A. et al. Conjugated linoleic acid in adipose tissue and risk of myocardial infarction. *Am J Clin Nutr.*, v. 92(1), p. 34-40, 2010.

7 SAMAHA, F. F. et al. A Low-Carbohydrate as Compared with a Low-Fat Diet in Severe Obesity. *N Engl J Med.*, v. 348, p. 2074-2081, 2003.

8 PALGI A. et al. Multidisciplinary treatment of obesity with a protein-sparing modified fast: results in 668 outpatients. *Am J Public Health*, v. 75(10), p. 1190-4, 1985.

9 NICKOLS-RICHARDSON, S. M. et al. Perceived Hunger Is Lower and Weight Loss Is Greater in Overweight Premenopausal Women Consuming a Low-Carbohydrate/High-Protein vs High-Carbohydrate/Low-Fat Diet. *Journal of the Academy of Nutrition and Dietetics*, v. 105(9), p. 1433–1437, 2005.

10 McCLERNON, F. J. et al. The effects of a low-carbohydrate ketogenic diet and a low-fat diet on mood, hunger, and other self-reported symptoms. *Obesity (Silver Spring)*, v. 15(1), p. 182-7, 2007.

11 VOLEK, J. S. et al. Comparison of energy-restricted very low-carbohydrate and low-fat diets on weight loss and body composition in overweight men and women. *Nutr Metab (Lond)*, v. 1, p. 13, 2004.

12 HALYBURTON, A. K. et al. Low- and high-carbohydrate weight-loss diets have similar effects on mood but not cognitive performance. *Am J Clin Nutr.*, v. 86(3), p. 580-587, 2007.

13 VOLEK, J. S. et al. Carbohydrate Restriction has a More Favorable Impact on the Metabolic Syndrome than a Low Fat Diet. *Lipids*, v. 44(4), p. 297-309, 2009.

14 MECKLING, K. A. et al. Comparison of a Low-Fat Diet to a Low-Carbohydrate Diet on Weight Loss, Body Composition, and Risk Factors for Diabetes and Cardiovascular Disease in Free-Living, Overweight Men and Women. *The Journal of Clinical Endocrinology & Metabolism*, v. 89(6), p. 2717–2723, 2013.

15 TAY, J. et al. Metabolic Effects of Weight Loss on a Very-Low-Carbohydrate Diet Compared With an Isocaloric High-Carbohydrate Diet in Abdominally Obese Subjects. *Journal of the American College of Cardiology*, v. 51(1), p. 59-67, 2008.

16 BRINKWORTH, G. D. et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr.*, v. 90(1), p. 23-32, 2009.

17 GULDBRAND, H. et al. In type 2 diabetes, randomisation to advice to follow a low-carbohydrate diet transiently improves glycaemic control compared with advice to follow a low-fat diet producing a similar weight loss. *Diabetologia*, v. 55(8), p. 2118-2127, 2012.

Capítulo 37

1 WESTMAN, E. C. et al. Low-carbohydrate nutrition and metabolism. *Am J Clin Nutr.*, v. 86(2), p. 276-284, 2007.

2 HESSION, M. et al. Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities. *Obesity Reviews*, v. 10(1), p. 36–50, 2009.

3 SANTOS, F. L. et al. Systematic review and meta-analysis of clinical trials of the effects of low carbohydrate diets on cardiovascular risk factors. *Obesity Reviews*, v. 13(11), p. 1048–1066, 2012.

4 MICHA, R. et al. Red and processed meat consumption and risk of incident coronary heart disease, stroke, and diabetes mellitus: a systematic review and meta-analysis. *Circulation*, v. 121(21), p. 2271-83, 2010.

5 ROHRMANN, S. et al. Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. *BMC Med.*, v. 11, p. 63, 2013.

6 ALEXANDER, D. D. et al. Meta-analysis of prospective studies of red meat consumption and colorectal cancer. *Eur J Cancer Prev.*; v. 20(4), p. 293-307, 2011.

7 ALEXANDER, D. D. et al. Red meat and colorectal cancer: a critical summary of prospective epidemiologic studies. *Obes Rev.*, v. 12(5), p. 472-93, 2011.

8 BREHM, B. J. et al. A Randomized Trial Comparing a Very Low Carbohydrate Diet and a Calorie-Restricted Low Fat Diet on Body Weight and Cardiovascular Risk Factors in Healthy Women. *J Clin Endocrinol Metab.*, v. 88(4), p. 1617–1623, 2003.

9 BAZZANO, L. A. et al. Effects of Low-Carbohydrate and Low-Fat Diets: A Randomized Trial. *Ann Intern Med.*, v. 161(5), p. 309-318, 2014.

CONCLUSÃO

1 SCHNEPF, R. Congressional Research Service. CRS Report for Congress, set. 2013. *Consumers and Food Price Inflation*. Disponível em: <<http://fas.org/sgp/crs/misc/R40545.pdf>>. Acesso em: 01 fev. 2015.

2 WANSINK, B. *Mindless Eating: Why We Eat More Than We Think*. Mass Market Paperback, 2010.