

REFERÊNCIAS BIBLIOGRÁFICAS

Capítulo 2 SOBRE A SEGURANÇA DO CORRER EM JEJUM

- 1 Aeróbico em jejum tire suas dúvidas. **Portal da Sociedade Brasileira de Medicina do Esporte**. Disponível em: <<http://medicinadoesporte.org.br/aerobico-em-jejum-tire-suas-duvidas/>>. Acesso em: 26 set. 2016.
- 2 Fazer exercícios em jejum queima músculos e preserva gorduras. **Portal da Sociedade Brasileira de Medicina do Esporte**. Disponível em: <<http://medicinadoesporte.org.br/fazer-exercicios-em-jejum-queima-musculos-e-preserva-gorduras/>>. Acesso em: 26 set. 2016.)
- 3 POPKIN, B. M. et al. Does hunger and satiety drive eating anymore? **Am J Clin Nutr.** v. 91, n. 5, p. 1342-7, 2010.)
- 4 WEBBER, J. et al. The cardiovascular, metabolic and hormonal changes accompanying acute starvation in men and women. **Br J Nutr.** v. 71, n. 3, p 437-47, 1994.
- 5 HEILBRONN, L. K. et al. Alternate-day fasting in nonobese subjects: effects on body weight, body composition, and energy metabolism. **Am J Clin Nutr.** v. 81, n. 1, p. 69-73, 2005.
- 6 DRENICK, E. J. et al. Prolonged starvation as treatment for severe obesity. **JAMA.** v. 11, n. 187, p. 100-5, 1964.
- 7 ZAUNER, C. et al. Resting energy expenditure in short-term starvation is increased as a result of an increase in serum norepinephrine. **Am J Clin Nutr.** v. 71, n. 6, p. 1511-5, 2000.
- 8 STOTE, K. S. et al. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. **Am J Clin Nutr.** v. 85, n. 4, p. 981-8, 2007.
- 9 BHUTANI, S. et al. Improvements in coronary heart disease risk indicators by alternate-day fasting involve adipose tissue modulations. **Obesity.** v. 18, n. 11, p. 2152-9, 2010.
- 10 NORRELUND, H. et al. The protein-retaining effects of growth hormone during fasting involve inhibition of muscle-protein breakdown. **Diabetes.** v. 50, n. 1, p. 96-104, 2001.
- 11 CAHILL, G. F. Jr. President's address. Starvation. **Trans Am Clin Climatol Assoc.** v. 94, p. 1-21, 1983.
- 12 FUNG, J. **The Obesity Code: Unlocking the Secrets of Weight Loss**. Greystone Books, 2016.
- 13 HARPER, A. E. **Defining the essentiality of nutrients. Modern nutrition in health and disease.** 9 ed. Boston: William e Wilkins, p. 3-10, 1999.
- 14 BIER, D. M. et al. Report of the IDECG Working Group on lower and upper limits of carbohydrate and fat intake. **Eur J Clin Nutr.**, v. 53, p. S177-8, 1999.
- 15 OWEN, O. E. et al. Brain metabolism during fasting. **Journal of Clinical Investigation**, p. 46, n. 10, p. 1589, 1967.

- 16 CAHILL, G.F. et al. Starvation in man. **N Engl J Med.**, v. 282, p. 668-75, 1970.
- 17 FOLLIS, R. H. et al. The effect of a purified diet deficient in carbohydrate on the rat. **Bull Johns Hopkins Hosp**, v. 72, P. 39-41, 1943.
- 18 RENNER, R. Factors affecting the utilization of "carbohydrate-free" diets by the chick. I. Level of protein. **J Nutr.**, v. 84, p. 322-6, 1964.
- 19 SHAFFER, P. A. Antiketogenesis. II. The ketogenic antiketogenic balance in man. **J Biol Chem.**, v. 47, p. 463-73, 1921.
- 20 DOHM, G. L. et al. Metabolic responses to exercise after fasting. **J Appl Physiol (1985)**. v. 61, n. 4, p. 1363-8, 1986.
- 21 ZINKER B. A. et al. Effects of a 36-hour fast on human endurance and substrate utilization. **J Appl Physiol**, v. 69, n. 5, p. 1849-55, 1990.
- 22 GONZALEZ, J. T. et al. Breakfast and exercise contingently affect postprandial metabolism and energy balance in physically active males. **British Journal of Nutrition**, v. 110, n. 4, p. 721-732, 2013.
- 23 ZDERIC, T. W. et al. Manipulation of dietary carbohydrate and muscle glycogen affects glucose uptake during exercise when fat oxidation is impaired by beta-adrenergic blockade. **Am J Physiol Endocrinol Metab**. v. 287, n. 6, p. E1195-201, 2004.
- 24 STANNARD, S. R. et al. Adaptations to skeletal muscle with endurance exercise training in the acutely fed versus overnight-fasted state. **J Sci Med Sport**. v. 13, n. 4, p. 465-9, 2010.
- 25 VAN PROEYEN K. et al. Beneficial metabolic adaptations due to endurance exercise training in the fasted state. **J Appl Physiol (1985)**. v. 110, n. 1, p. 236-45, 2010.
- 26 TRABELSI K., et al. Effects of fed- versus fasted-state aerobic training during Ramadan on body composition and some metabolic parameters in physically active men. **Int J Sport Nutr Exerc Metab**. v.22, n. 1, p. 11-8, 2012.
- 27 MAUGHAN, R. J. et al. Influence of a 36 h fast followed by refeeding with glucose, glycerol or placebo on metabolism and performance during prolonged exercise in man. **Eur J Appl Physiol Occup Physiol**. v. 57, n. 5, p. 570-6, 1988.
- 28 SHEPHARD, R. J. Ramadan and sport: minimizing effects upon the observant athlete. **Sports Med**. v. 43, n. 12, p. 1217-41, 2013.
- 29 CHAOUACHI, A. et al. The effects of Ramadan intermittent fasting on athletic performance: recommendations for the maintenance of physical fitness. **J Sports Sci**. v. 30, s. 1, p. S53-73, 2012.
- 30 WHAT IS METABOLIC SYNDROME? **National Heart, Lung, and Blood Institute**, nov. 2011. Disponível em: <<http://www.nhlbi.nih.gov/health/health-topics/topics/ms/>>. Acesso em: 25 set. 2016.
- 31 NESS-ABRAMOF, R. et al. Waist Circumference Measurement in Clinical Practice. **Nutr Clin Pract**. v. 23, p. 397-404, 2008.
- 32, BALU, D. **O Nutricionista Clandestino – as razões para a crise de obesidade em um mundo cada vez mais gordo**. Clube de

Autores, cap. 8. 2015.

33 VAN AAKEN, E. **Van Aaken Method – finding the endurance to run faster and live healthier**, 1976.

Capítulo 3 ALONGAMENTO E CORRIDA

1 LATASH, M.L. et al. Joint stiffness: Myth or reality? **Hum Mov Sci**, v. 12, n. p. 653-692, 1993.

2 SINCLAIR, J. et al. The Effects of Barefoot and Shod Running on Limb and Joint Stiffness Characteristics in Recreational Runners. **J Mot Behav**, v. 48, n. 1, p. 79-85, 2016.

3 MCHUGH, M. P. et al. To stretch or not to stretch: the role of stretching in injury prevention and performance. **Scand J Med Sci Sports**, v. 20, n. 2, p. 169-81, 2010.

4 DE OLIVEIRA, F. C. et al. Static Stretching Does Not Reduce Variability, Jump and Speed Performance. **Int J Sports Phys Ther**, v. 11, n. 2, p. 237-46, 2016.

5 KAY, A. D. et al. Effect of acute static stretch on maximal muscle performance: a systematic review. **Med Sci Sports Exerc**, v. 44, n. 1, p. 154-64, 2012.

6 DAMASCENO, M. V. et al. Static stretching alters neuromuscular function and pacing strategy, but not performance during a 3-km running time-trial. **PLoS One**, v. 9, n. 6, p. e99238, 2014.

7 CRAIB, M. W. et al. The association between flexibility and running economy in sub-elite male distance runners. **Med Sci Sports Exerc**, v. 28, n. 6, p. 737-43, 1996.

8 JONES, A. M. Running economy is negatively related to sit-and-reach test performance in international-standard distance runners. **Int J Sports Med**, v. 23, n. 1, p. 40-3, 2002.

9 BECKETT, J. R. et al. Effects of static stretching on repeated sprint and change of direction performance. **Med Sci Sports Exerc**, v. 41, n. 2, p. 444-50, 2009.

10 WILSON, J. M. et al. Effects of static stretching on energy cost and running endurance performance. **Journal of strength and conditioning research**, v. 24, n. 9, p. 2274-9, 2010.

11 **THE 11+ PROGRAMME. A complete warm-up programme to prevent injuries.** Disponível em: <<http://www.f-marc.com/11plus/manual/>>. Acesso em: 16 de set. 2016.

12 LUND, H. et al. The effect of passive stretching on delayed onset muscle soreness, and other detrimental effects following eccentric exercise. **Scand J Med Sci Sports**, v. 8, n. 4, p. 216-21, 1998.

13 CHEUNG, K. et al. Delayed onset muscle soreness: treatment strategies and performance factors. **Sports Med**, v. 33, n. 2, p. 145-64, 2003.

14 HERBERT, R. D. et al. Stretching to prevent or reduce muscle soreness after exercise. **Cochrane Database Syst Rev**, n. 7, p. CD004577, 2011.

- 15 CROSSLEY, K. M. et al. 2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 2: recommended physical interventions (exercise, taping, bracing, foot orthoses and combined interventions). **Br J Sports Med**, v. 50, n. 14, p. 844-52, 2016.
- 16 ALBA-MARTIN, P. et al. Effectiveness of therapeutic physical exercise in the treatment of patellofemoral pain syndrome: a systematic review. **J Phys Ther Sci**, v. 27, n. 7, p. 2387-90, 2015.
- 17 MILNER, C. E. et al. Biomechanical factors associated with tibial stress fracture in female runners. **Med Sci Sports Exerc**, v. 38, n. 2, p. 323-8, 2006.
- 18 POHL, M. B. et al. Biomechanical and anatomic factors associated with a history of plantar fasciitis in female runners. **Clin J Sport Med**, v. 19, n. 5, p. 372-6, 2009.
- 19 CREABY, M. W. et al. Retraining running gait to reduce tibial loads with clinician or accelerometry guided feedback. **J Sci Med Sport**, v. 19, n. 4, p. 288-92, 2016.
- 20 PHAN, X. et al. Running quietly reduces ground reaction force and vertical loading rate and alters foot strike technique. **J Sports Sci**, p. 1-7, 2016.
- 21 KATALINIC, O. M. et al. Stretch for the treatment and prevention of contractures. **Cochrane Database Syst Rev**, n. 9, p. CD007455, 2010.
- 22 MCGILL, S. M., **Low Back Disorders: Evidence-based Prevention and Rehabilitation**, ed. H. Kinetics, 2007.
- 23 WITVROUW, E. et al. Intrinsic risk factors for the development of anterior knee pain in an athletic population. A two-year prospective study. **Am J Sports Med**, v. 28, n. 4, p. 480-9, 2000.
- 24 WITVROUW, E. et al. Intrinsic risk factors for the development of patellar tendinitis in an athletic population. A two-year prospective study. **Am J Sports Med**, v. 29, n. 2, p. 190-5, 2001.
- 25 LABOVITZ, J. M. et al. The role of hamstring tightness in plantar fasciitis. **Foot Ankle Spec**, v. 4, n. 3, p. 141-4, 2011.
- 26 MORESIDE, J. M. et al. Improvements in hip flexibility do not transfer to mobility in functional movement patterns. **J Strength Cond Res**, v. 27, n. 10, p. 2635-43, 2013.
- 27 SARAGIOTTO, B. T. et al. What do recreational runners think about risk factors for running injuries? A descriptive study of their beliefs and opinions. **J Orthop Sports Phys Ther**, v. 44, n. 10, p. 733-8, 2014.
- 28 WEN, D. Y., Risk factors for overuse injuries in runners. **Curr Sports Med Rep**, v. 6, n. 5, p. 307-13, 2007.
- 29 PERELES D, E. A. **A Large, Randomized, Prospective Study of the Impact of a Pre-Run Stretch on the Risk of Injury in Teenage and Older Runners**, 2010. Disponível em: <<http://www.usatf.org/stretchStudy/StretchStudyReport.pdf>> . Acesso em: 16 de set. 2016.
- 30 SHRIER, I. Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science

- literature. **Clin J Sport Med**, v. 9, n. 4, p. 221-7, 1999.
- 31 HERBERT, R. D. et al. Effects of stretching before and after exercising on muscle soreness and risk of injury: systematic review. **Bmj**, v. 325, n. 7362, p. 468, 2002.
- 32 POPE, R. P. et al. A randomized trial of preexercise stretching for prevention of lower-limb injury. **Med Sci Sports Exerc**, v. 32, n. 2, p. 271-7, 2000.
- 33 HART, L., Effect of stretching on sport injury risk: a review. **Clin J Sport Med**, v. 15, n. 2, p. 113, 2005.
- 34 BRUSHOJ, C. et al. Prevention of overuse injuries by a concurrent exercise program in subjects exposed to an increase in training load: a randomized controlled trial of 1020 army recruits. **Am J Sports Med**, v. 36, n. 4, p. 663-70, 2008.
- 35 MARSHALL, P. W. et al. A randomized controlled trial for the effect of passive stretching on measures of hamstring extensibility, passive stiffness, strength, and stretch tolerance. **Journal of science and medicine in sport**, v. 14, n. 6, p. 535-40, 2011.

Capítulo 4

HIDRATAÇÃO NA CORRIDA – beba conforme a sede.

- 1 MUIR, A. L. et al. Physiological aspects of the Edinburgh commonwealth games. **Lancet**. v. 28, n. 2, p. 1125-8, 1970.
- 2 NOAKES, T. D. **Lore of Running**. Human Kinetics, p. 252, 2003.
- 3 MARTIN, D. E. et al. **The Olympic Marathon**. Human Kinetics. p. 251, 2000.
- 4 NOAKES, T. **Waterlogged: The Serious Problem of Overhydration in Endurance Sports**. Human Kinetics. p. xiii, 2012.
- 5 CHEUVRONT, S. N. et al, Fluid balance and endurance exercise performance. **Curr Sports Med. Rep.** v. 2, n. 4, p. 202-208, 2003.
- 6 BEIS, L. Y. et al. Drinking behaviors of elite male runners during marathon competition. **Clin J Sport Med**. v. 22, n. 3, p. 254-61, 2012.
- 7 TWERENBOLD, R. et al. Effects of different sodium concentrations in replacement fluids during prolonged exercise in women. **Br J Sports Med**. v. 37, p. 300-303, 2003.
- 8 NOLTE, H. et al. Ad libitum fluid replacement in military personnel during a 4-h route march. **Medicine and Science in Sports and Exercise**, v. 42, n. 9, p. 1675-1680, 2010.
- 9 NOLTE, H. et al. Protection of total body water content and absence of hyperthermia despite 2% body mass loss ('voluntary dehydration') in soldiers drinking ad libitum during prolonged exercise in cool environmental conditions. **Br J Sports Med**. v. 45, n. 14, p. 1106-12, 2010.
- 10 NOLTE, H. et al. Trained humans can exercise safely in extreme dry heat when drinking water ad libitum. **J Sports Sci**. v. 29, n. 12, p. 1233-41, 2011.

- 11 WALL, B. A. et al. Current hydration guidelines are erroneous: dehydration does not impair exercise performance in the heat. **Br J Sports Med.** v. 49, n. 16, p. 1077-83, 2015.
- 12 SAWKA, M. N. et al. Does dehydration impair exercise performance? **Med Sci Sports Exerc.** v. 39, n. 8, p. 1209-17, 2007.
- 13 DUGAS, J. P. et al. Rates of fluid ingestion alter pacing but not thermoregulatory responses during prolonged exercise in hot and humid conditions with appropriate convective cooling. **Eur J Appl Physiol.** v. 105, n. 1, p. 69-80, 2009.
- 14 ENGELL, D. B. et al. Thirst and fluid intake following graded hypohydration levels in humans. **Physiol Behav.** v. 40, n. 2, p. 229-36, 1987.
- 15 ARMSTRONG, L. E. et al. Thermal and circulatory responses during exercise: effects of hypohydration, dehydration, and water intake. **J Appl Physiol.** v. 82, n. 6, p. 2028-35, 1997.
- 16 MARESH, C. M. et al. Effect of hydration status on thirst, drinking, and related hormonal responses during low-intensity exercise in the heat. **J Appl Physiol.** v. 97, n. 1, p. 39-44, 2004.
- 17 SAKERA, P. et al. Overdrinking, swallowing inhibition, and regional brain responses prior to swallowing. **Proceedings of the National Academy of Sciences**, 2016.
- 18 GOULET, E. D. Effect of exercise-induced dehydration on time-trial exercise performance: a meta-analysis. **Br J Sports Med.** v. 45, n. 14, p. 1149-56, 2011.
- 19 ADOLPH, E. F. Observations on water metabolism in the desert. **American Journal of Physiology.** v. 123, p. 369-378, 1938.
- 20 BROWN, A. H. **Fluid intake in the desert.** in *Physiology of Man in the Desert.* p. 110-114, 1947.
- 21 ROTHSTEIN, A. F. E. F. Adolph, & J.H. Wills, **Voluntary dehydration.** in *Physiology of man in the desert*, ed. E.F. Adolph (New York: Interscience Publishers). p. 254-270, 1947.
- 22 WYNDHAM, C. H. et al. The danger of an inadequate water intake during marathon running. **S Afr Med J.** v. 19, n. 43(29), p. 893-6, 1969.
- 23 BLAKE, J. B. et al. Observations upon Long-Distance Runners. **Boston Med Surg J**, v. 148, p. 195-196, 1903.
- 24 MAUGHAN R. J. Thermoregulation in marathon competition at low ambient temperature. **Int J Sports Med.** v. 6, n. 1, p. 15-9, 1985.
- 25 NOAKES, T. **Waterlogged: The Serious Problem of Overhydration in Endurance Sports.** *Human Kinetics.* p. 83, 2012.
- 26 BASU, S. et al. The relationship of sugar to population-level diabetes prevalence: an econometric analysis of repeated cross-sectional data. **PLoS ONE**, v. 8, n.2, 2013.
- 27 TOUGER-DECKER, R. et al. Sugars and dental caries. **Am J Clin Nutr October**, v. 78, n. 4, 2003.
- 28 KOVACS, E. M. et al. Urine color, osmolality and specific electrical conductance are not accurate measures of hydration status during

postexercise rehydration. **J Sports Med Phys Fitness**. v. 39, n. 1, p. 47-53, 1999.

29 LORENZO, S. et al. Heat acclimation improves exercise performance. **J Appl Physiol (1985)**. v. 109, n. 4, p. 1140-7, 2010.

30 GARRETT, A. T. et al. Effectiveness of short-term heat acclimation for highly trained athletes. **Eur J Appl Physiol**. v. 112, n. 5, p. 1827-37, 2012.

Capítulo 5

DESAQUECIMENTO (E VOLTA À CALMA) - para o que de fato serve?

1 NEWMAN, E. V. et al. The rate of lactic acid removal in exercise. **American Journal of Physiology**. v. 118, p. 457-462, 1937.

2 LAW, R.Y. et al. Warm-up reduces delayed onset muscle soreness but cool-down does not: a randomised controlled trial. **Aust J Physiother**. v. 53, n. 2, p. 91-5, 2007.

3 Disponível em: <http://rw.runnersworld.com/clean/marathon-mileage.html?_ga=1.51786921.1654994647.1450828289/>. Acesso em: 28 set. 2016.

4 Disponível em: <<https://www.strava.com/running-races/2016-london-marathon/>>. Acesso em: 28 set. 2016.

5 CARTER, K. What does it take to run a sub-3 marathon? **The Guardian**. Disponível em: <<https://www.theguardian.com/lifeandstyle/the-running-blog/2016/apr/21/sub-3-marathon-data-strava-london/>>. Acesso em: 28 set. 2016.

6 HOLLOSZY, J. O. Effects of exercise on mitochondrial oxygen uptake and respiratory enzyme activity in skeletal muscle. **Biochemical Adaptations in Muscle. The Journal of Biological Chemistry**, v. 242, p. 2278-2282, 1967.

7 DUDLEY, G. A. et al. Influence of exercise intensity and duration on biochemical adaptations in skeletal muscle. **Journal of Applied Physiology**. v. 53, n. 4, p. 844-850, 1982.

8 ESTEVE-LANAO, J. et al. Impact of training intensity distribution on performance in endurance athletes. **J Strength Cond Res**. v. 21, n. 3, p. 943-9, 2007.

9 FITZGERALD, M. **80/20 Running: Run Stronger and Race Faster By Training Slower**. New American Library, 2014.

10 VAN AAKEN, E. **Van Aaken Method – finding the endurance to run faster and live healthier**. 1976.

11 MARTI, B. et al. On the epidemiology of running injuries. The 1984 Bern Grand-Prix study. **Am J Sports Med**. v. 16, n. 3, p. 285-94, 1988.

12 SJODIN, B. et al. Onset of blood lactate accumulation and marathon running performance. **Int J Sports Med**. v. 2, n. 1, p. 23-6, 1981.

Capítulo 6

TÊNIS DE CORRIDA, TIPOS DE PISADA, AMORTECIMENTO E AS LESÕES.

- 1 SARAGIOTTO, B. T. et al. What Do Recreational Runners Think About Risk Factors for Running Injuries? A Descriptive Study of Their Beliefs and Opinions. **Journal of Orthopaedic & Sports Physical Therapy**, v. 44, n. 10, p. 733–738, 2014.
- 2 CAVANAGH, P. R. **The Running Shoe Book**. Anderson World, 1980.
- 3 WEN, D. et al. Injuries in runners: a prospective study of alignment. **Clin J Sport Med**. v. 8, n. 3, p. 187-94, 1998.
- 4 TAUNTON, J. E. et al. A prospective study of running injuries: the Vancouver Sun Run "In Training" clinics. **Br J Sports Med**. v. 37, n. 3, p. 239-44, 2003.
- 5 VAN GENT, R. N. et al. Incidence and determinants of lower extremity running injuries in long distance runners: a systematic review. **Br J Sports Med**. v. 41, n. 8, p. 469-480, 2007.
- 6 TAUNTON, J. E. et al. A retrospective case-control analysis of 2002 running injuries. **British Journal of Sports Medicine**, v.36, p. 95-101, 2002.
- 7 MARTI, B. et al. On the epidemiology of running injuries: The 1984 Bern Grand-Prix study. **Am J Sports Med**. v. 16, n. 3, p. 285-294, 1988.
- 8 SARAGIOTTO, B. T. et al. What are the Main Risk Factors for Running-Related Injuries? **Sports Medicine**. v. 44, n. 8, p. 1153–1163, 2014.
- 9 VAN MECHELEN, W. Running injuries. A review of the epidemiological literature. **Sports Med**. p. n. 5, p. 320-35, 1992.
- 10 RICHARDS, C. E. et al. Is your prescription of distance running shoes evidence-based? **Br J Sports Med**. v. 43, p. 159-162, 2009.
- 11 NOAKES, T. **Waterlogged: The Serious Problem of Overhydration in Endurance Sports**. Human Kinetics. p. xvi, 2012.
- 12 NIGG, B. M. **Biomechanics of Sports Shoes**. Calgary: Topline Printing Inc., 2010.
- 13 HINTERMAN, B. et al. Pronation in Runners: Implications for Injuries. **Sports Medicine**. v. 26, n. 3, p. 169–176, 1998.
- 14 NIGG, B. M. et al. Running shoes and running injuries: mythbusting and a proposal for two new paradigms: 'preferred movement path' and 'comfort filter'. **Br J Sports Med**, 2015.
- 15 NIGG, B. M. The Role of Impact Forces and Foot Pronation: A New Paradigm. **Clinical Journal of Sports Medicine**. v. 11, p. 2–9, 2001.
- 16 KNAPIK, J. J. et al. Injury-reduction effectiveness of prescribing running shoes on the basis of foot arch height: summary of military investigations. **J Orthop Sports Phys Ther**. v. 44, n. 10, p. 805-12, 2014.
- 17 KNAPIK, J. J. et al. Injury reduction effectiveness of selecting running shoes based on plantar shape. **J Strength Cond Res**. v. 23, n. 3, p. 685-97, 2009.
- 18 KNAPIK, J. J. et al. Injury reduction effectiveness of assigning running shoes based on plantar shape in Marine Corps basic training. **Am J Sports Med**. v. 38, n. 9, p. 1759-67, 2010.

- 19 KNAPIK, J. J. et al. Effect on injuries of assigning shoes based on foot shape in air force basic training. **Am J Sports Med.** v. 38, n. 1, p. 197-211, 2010.
- 20 RYAN, M. B. et al. The effect of three different levels of footwear stability on pain outcomes in women runners: a randomised control trial. **Br J Sports Med.** v. 45, p. 715-721, 2011.
- 21 MALISOUX, L. et al. Injury risk in runners using standard or motion control shoes: a randomised controlled trial with participant and assessor blinding. **Br J Sports Med,** v. 50, p. 481-487, 2016.
- 22 THEISEN, D. et al. Influence of midsole hardness of standard cushioned shoes on running-related injury risk. **Br J Sports Med,** 2013.
- 23 WITHNALL R. et al. Do shock absorbing insoles in recruits undertaking high levels of physical activity reduce lower limb injury? A randomized controlled trial. **J R Soc Med.** v. 99, n. 1, p. 32-7, 2006.
- 24 NIELSEN, R. O. et al. Foot pronation is not associated with increased injury risk in novice runners wearing a neutral shoe: a 1-year prospective cohort study. **Br J Sports Med,** v. 48, n. 6, p. 440-447, 2014.
- 25 STACOFF, A. et al. Tibiocalcaneal kinematics of barefoot versus shod running. **Journal of Biomechanics.** v. 33, n. 11, p. 1387-95, 2000.
- 26 WILLIAMS D. S. et al. Arch structure and injury patterns in runners. **Clinical Biomechanics.** v. 16, p. 341-347, 2001.
- 27 LARSON, P. Et al. **Tread Lightly: Form, Footwear, and the Quest for Injury Free Running.** Sky Publishing. p. 143, 2012.
- 28 HOHMANN, E. et al. Runner's knowledge of their foot type: do they really know? **Foot (Edinb).** v. 22, n. 3, p. 205-10, 2012.
- 29 GOSS, D. L. et al. Lower Extremity Biomechanics and Self-Reported Foot-Strike Patterns Among Runners in Traditional and Minimalist Shoes. **J Athl Train,** v. 50, n. 6, p. 603-611, 2015.
- 30 BADE, M. B. et al. Accuracy of self-reported foot strike pattern in intercollegiate and recreational runners during shod running. **Int J Sports Phys Ther.** v. 11, n. 3, p. 350-5, 2016.
- 31 GOSS, D. L. et al. **Accuracy of self-reported footstrike patterns and loading rates associated with traditional and minimalist running shoes,** 2012.
- 32 LARSON, P. et al. Foot strike patterns of recreational and sub-elite runners in a long-distance road race. **Journal of Sports Sciences,** p. 1665-1673, 2010.
- 33 D'AOUT, K et al. The effects of habitual footwear use: foot shape and function in native barefoot walkers. **Footwear Science.** v. 1, n. 2, p. 81-94, 2009.
- 34 CSAPO, R. et al. On muscle tendon, and high heels. **Journal of Experimental Biology.** v. 213, p. 2582-2588, 2010.
- 35 CRONIN, N. J. The effects of high heeled shoes on female gait: a review. **J Electromyogr Kinesiol.** v. 24, n. 2, p. 258-63, 2014.

- 36 KIM, M. H. et al. Reducing the frequency of wearing high-heeled shoes and increasing ankle strength can prevent ankle injury in women. **Int J Clin Pract.** v. 69, n. 8, p. 909-10, 2015.
- 37 MALISOUX, L. et al. Influence of the Heel-to-Toe Drop of Standard Cushioned Running Shoes on Injury Risk in Leisure-Time Runners: A Randomized Controlled Trial With 6-Month Follow-up. **Am J Sports Med**, 2016.
- 38 ANDERSEN, J. J. et al. **Expensive Running Shoes Are Not Better Than More Affordable Running Shoes** (Study). Disponível em: <<http://runrepeat.com/expensive-running-shoes-are-not-better-than-more-affordable-running-shoes-study>>. Acesso em: 19 set. 2016.
- 39 MARTI, B. **Relationships Between Running Injuries and Running Shoes – Results of a Study of 5,000 Participants of a 16-km Run – The May 1984 Berne ‘Grand Prix’**. In: Segesser B., Pforringer W., eds. The shoe in sport. Chicago: Year Book Medical Publishers, p. 256-265, 1989.
- 40 ROBBINS, S. E. et al. Athletic Footwear and Chronic Overloading: A Brief Review. **Sports Medicine.** v. 9, n. 2, p. 76–85, 1990.
- 41 ROBBINS, S. et al. Hazard of deceptive advertising of athletic footwear. **Br J Sports Med**, v. 31, p. 299-303, 1997.
- 42 MUNDERMANN A. et al. Relationship between footwear comfort of shoe inserts and anthropometric and sensory factors. **Med Sci Sports Exerc.** v. 33, n. 11, p. 1939-45, 2001.
- 43 LARSON, P. Et al. **Tread Lightly: Form, Footwear, and the Quest for Injury Free Running**. Sky Publishing. p. 82, 2012.

Capítulo 7

EMAGRECIMENTO PELA CORRIDA - está longe de funcionar

- 1 KEYS, A. et al. **The Biology of Human Starvation: Volume I**, The University of Minnesota Press, 1950.
- 2 FOTHERGILL, E. et al. Persistent metabolic adaptation 6 years after “The Biggest Loser” competition. **Obesity**, v. 24, n. 8, p. 1612–1619, 2016.
- 3 JOHANNSEN, D. L. et al. Metabolic slowing with massive weight loss despite preservation of fat-free mass. **J Clin Endocrinol Metab.** v. 97, n. 7, p. 2489-96, 2012.
- 4 KNUTH, N. D. et al. Metabolic adaptation following massive weight loss is related to the degree of energy imbalance and changes in circulating leptin. **Obesity**, v. 22, n. 12, p. 2563–2569, 2014.
- 5 DAS, S. K. et al. Long-term changes in energy expenditure and body composition after massive weight loss induced by gastric bypass surgery. **Am J Clin Nutr**, v. 78, n. 1, p. 22-30, 2003.
- 6 CHURCH, T. S. et al. Effects of Different Doses of Physical Activity on Cardiorespiratory Fitness Among Sedentary, Overweight or Obese Postmenopausal Women With Elevated Blood Pressure. A Randomized Controlled Trial. **JAMA.** v. 297, n. 19, p. :2081-2091, 2007.

- 7 SONNEVILLE, K. R. et al. Total energy intake, adolescent discretionary behaviors and the energy gap. **Int J Obes (Lond)**. v. 32, s. 6, S19-27, 2008.
- 8 METCALF, B. S. et al. Fatness leads to inactivity, but inactivity does not lead to fatness: a longitudinal study in children. **Arch Dis Child**. v. 96, p. 942-947, 2011.
- 9 METCALF, B. S. et al. Physical activity at the government-recommended level and obesity-related health outcomes: a longitudinal study (Early Bird 37). **Arch Dis Child**. v. 93, p. 772-777, 2008.
- 10 HARRIS, K. C. et al. Effect of school-based physical activity interventions on body mass index in children: a meta-analysis. **CMAJ**, v. 180, n. 7, 2009.
- 11 MURA, G. et al. Physical Activity Interventions in Schools for Improving Lifestyle in European Countries. **Clin Pract Epidemiol Ment Health**. v. 11, Suppl 1 M5, p. 77-101, 2015.
- 12 CESA, C. C. et al. Physical activity and cardiovascular risk factors in children: meta-analysis of randomized clinical trials. **Preventive Medicine**, v. 69, p. 54-62, 2014.
- 13 FREMEAUX, A. E. et al. The impact of school-time activity on total physical activity: the activitystat hypothesis (EarlyBird 46). **Int J Obes (Lond)**, v. 35, n. 10, p. 1277-83, 2011.
- 14 MOLLER, N. C. et al. Do extra compulsory physical education lessons mean more physically active children - findings from the childhood health, activity, and motor performance school study Denmark (The CHAMPS-study DK). **Int J Behav Nutr Phys Act**. v. 11, p. 121, 2014.
- 15 MOHOLDT, T. et al. Current physical activity guidelines for health are insufficient to mitigate long-term weight gain: more data in the fitness versus fatness debate (The HUNT study, Norway). **Br J Sports Med**, 2014.
- 16 EBERSOLE, K. et al. Energy Expenditure and Adiposity in Nigerian and African American Women. **Obesity (Silver Spring)**. v. 16, n. 9, p. 2148-2154, 2008.
- 17 DUGAS, L. R. et al. Energy expenditure in adults living in developing compared with industrialized countries: a meta-analysis of doubly labeled water studies. **Am J Clin Nutr**. v. 93, n. 2, p. 427-41, 2011.
- 18 MAY, A. M. et al. Effect of change in physical activity on body fatness over a 10-y period in the Doetinchem Cohort Study. **Am J Clin Nutr**. v. 92, n. 3, p. 491-9, 2010.
- 19 HANKINSON, A. L. et al. Maintaining a High Physical Activity Level Over 20 Years and Weight Gain. **JAMA**. v. 304, n. 23, p. 2603-2610, 2010.
- 20 RICHARDSON, C. R. et al. A Meta-Analysis of Pedometer-Based Walking Interventions and Weight Loss. **Ann Fam Med**. v. 6, n. 1, p. 69-77, 2008.
- 21 MCTIERNAN, A. et al. Exercise effect on weight and body fat in men and women. **Obesity (Silver Spring)**. v. 15, n. 6, p. 1496-512, 2007.

- 22 LEE, I. M. et al. Physical Activity and Weight Gain Prevention. **JAMA**. v. 303, n. 12, 2010.
- 23 JAKICIC, J. M. et al. The Effect of Physical Activity on 18-Month Weight Change in Overweight Adults. **Obesity** (Silver Spring). v. 19, n. 1, p. 100–109, 2011.
- 24 LIN, X. et al. Effects of Exercise Training on Cardiorespiratory Fitness and Biomarkers of Cardiometabolic Health: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. **J Am Heart Assoc**. v. 4, n. 7, 2015.
- 25 JANSSEN, G. M. et al. Food intake and body composition in novice athletes during a training period to run a marathon. **Int J Sports Med**. v. 10, Suppl 1, p. S17-21, 1989.
- 26 **O retrato das maratonas brasileiras**. Disponível em: <<https://infogr.am/a-maratona-e-os-brasileiros/>>. Acesso em: 26 set. 2016.
- 27 GWINUP, G. Effect of exercise alone on the weight of obese women. **Arch Intern Med**. v. 135, n. 5, p. 676-80, 1975.
- 28 SVENDSEN, O. L. et al. Effect of an energy-restrictive diet, with or without exercise, on lean tissue mass, resting metabolic rate, cardiovascular risk factors, and bone in overweight postmenopausal women. **Am J Med**. v. 95, n. 2, p. 131-40, 1993.
- 29 BROCHU, M. et al. Resistance training does not contribute to improving the metabolic profile after a 6-month weight loss program in overweight and obese postmenopausal women. **J Clin Endocrinol Metab**. v. 94, n. 9, p. 3226-33, 2009.
- 30 FOSTER-SCHUBERT, K. E. et al. Effect of diet and exercise, alone or combined, on weight and body composition in overweight-to-obese postmenopausal women. **Obesity** (Silver Spring). v. 20, n. 8, p. 1628-38, 2012.

Capítulo 8 EPÍLOGO

- 1 BOWERMAN, W. J. & HARRIS, W. E. **Jogging**. New York: Grosset & Dunlap, 1967.